



# can-am **OUTLANDER** RENEGADE







P.57



**ACCESSORIES** 

**Built Inspirations** 

**Compatibility Guide** 

LinQ: Easy On **Easy Off Cargo** 

17 Cargo & Storage

20 Windshields

Handlebars & Mirrors

24 Seat Kits

Racks & Holders

28 Skid Plates

33 Bumpers & Guards

38 Lights & Electrical

42 Winches

Multitrailer 44

45 Hitches

Performance

50 Covers, Decals & Add-Ons

52 Apache<sup>™</sup> Track Systems

56 Snowblower

58 Promount Plows

Tires 62

64 Rims

**CREATE YOUR OWN WINDSHILED** 

Modular windscreen protection options for any rider preference.







Look for this logo throughout the catalogue for Expert recommendations on innovative, musthave, enthusiast-ready parts and accessories that will help you customize your perfect offroad machine.



🕲 2020 Bombardier Recreational Products Inc. (BRP). All rights reserved. 🔍 The and the BRP logo are trademarks of BRP or its affiliates. CARLISLE is a trademark of Carlisle Companies. CHAMUDE and HIPORA are registered trademarks of Kolon Industri Inc. CLARINO is a trademark of Kuraray Co. Ltd. COOLMAX and THERMOLITE are registered trademarks of INVISTA for durable fabrics. DRIRELEASE is a registered trademark of Optimer Inc. FOX is a registered trademark of Fox Racing Canada. GARMIN and MONTANA are registered trademarks of Garmin Ltd. iPod is a registered trademark of Fox Racing Canada. GARMIN and MONTANA are registered trademarks of Garmin Ltd. iPod is a registered trademark of Kopin Powersports Inc. KYB is a registered trademark of Kopin Powersports Inc. KYB is a registered trademark of Solom Powersports Inc. KYB is a registered trademark of Solom Powersports Inc. KYB is a registered trademark of Most Spark Plugs, Ltd. PRIMALOFT BLACK are registered trademark of Wilson Powersports Inc. KYB is a registered trademark of Wil Industries. WARN is a trademark of Warn Industries Inc. YUASA is a registered trademark of YUASA Batteries Inc. ZILLA and BIGHORN 2.0 are trademarks of Maxxis. SCOTT is a trademark of Scott Sports SA. The following trademarks are the property of their respective owners: BLUETOOTH, CREE, DURO, DWT, HELLA, ITP, KENDA, MOSSY OAK, RAM, SUR LAST, VISION, XPS and YOSHIMURA. DRAGONFIRE is a trademark of KRANSCO. Baja Designs is a registered trademark of Baja Designs Inc. S3 POWERSPORTS is a trademark of \$3 Power Sports LLC. Some models depicted herein may include optional equipment. Prices, if shown, are based on Manufacturer Suggested Retail Prices. Dealers may sell for a different price. For Canada and US, taxes are not included. Depending on location, products are distributed by BRP US Inc., Bombardier Recreational Products Inc., BRP European Distribution SA, BRP Finland Oy, BRP Australia Pty Ltd. or BRP Brasil Motorsports LTDA. BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features, equipment without incurring obligation,



UR OUTLANDER





œ			715001215	LinQ Heavy-Duty Basket	P.15
STARTER			715001914	8" (20 cm) Rack Extension	P.26
STA			715006108	Warn VRX 35 Winch	P.42
			+		
			715001909	Fender Flares	P.37
	щ		715003461	Rancher Front Bumper	P.35
	ADVANGE		715003462	Rancher Rear Bumper	P.35
	AD		715003459	Body Side Protector	P.36
			+		
			715001945	Multi-Fit Holder	P.27
			710005423	Ram LED Spotlight	P.40
		¥	715005186	Rear Hitch Receiver	P.45
		PEAK	715000972	Front & Rear Hitch Drawbar	P.45



your own package.

			715001749	LinQ Trunk Box Outlander Max	P.13
			715006119	LinQ Trunk Box Pannel	P.13
			715001232	Deluxe Fairing	P.21
ËR			715001211	High Windshield for Deluxe Fairing	P.21
STARTER			715004837	XT Front Bumper	P.34
ST/			715004920	XT Rear Bumper	P.34
			+		
			715001286	Extreme Front Bumper	P.36
			715002353	Deluxe Mirror Kit	P.21
	빌		715003115	Auxiliary Windshield Lights	P.40
	ADVANCE		715003250	Heated Hand Grips & Throttle Combo	P.38
	A		715001926	Heated Passenger Grips & Visor Outlet	P.38
			+		
			715004284	Baja Design High Beam Kit	P.40
		Α¥	715003942	Driver Backrest	P.24
		PEAK	715004807	HMWPE Skid Plate	P.28





TAKE YOUR PICK: Expertly-chosen STARTER and ADVANCE packages are the best way to quickly add cold-weather upgrades—plus plow and tracks for even more winter use. Or mix and match to create your perfect snow-ready Outlander.

FINALLY ENJOY WINTER WITH COLD-WEATHER ESSENTIALS: THE CAN-AM APACHE TRACK SYSTEM & PROMOUNT PLOW K

œ		715004282	LinQ Low Profile Basket	P.15	
STARTER		715003023	Extra-High Windshield Kit	P.22	
₹		715004815	Heated Grips & Thumb Throttle Combo	P.38	
S		715001246	Heated Visor Outlet	P.38	
		+			
	삞	715001926	Heated Passenger Grips & Visor Outlet	P.38	
	ADVANCE	715004301	LinQ Tool Box	P.11	
		715005111	Fender Flare Extensions	P.37	
	┫	715004293	2" (5 cm) Square LED Lights	P.40	
	(S	715005103	Apache 360LT Track System	P.53	
	TRACKS	715004795	Apache 360LT Mounting Kit	P.55	
	끝	715003063	Apache 360 LT Adaptor	P.55	
		715006109	Warn VRX 35-S Winch	P.42	
		715005202	Can-Am ProMount Flex2 60" (152 cm) Kit	P.59	
	>	715004204	Can-Am ProMount Push Frame Extension	P.60	
	<b>M</b>	715004207	Can-Am Promount Drift Cutters	P.61	

P.61

715004206 Can-Am Promount Edge Markers

OUTLANDER MAX

**TAKE YOUR PICK:** Expertly-chosen STARTER, ADVANCE, and PEAK hunting packages to take your Can-Am build to another level. Or simply mix and match and create

ADAPT QUICKLY FOR THE HUNT BY OUTFITTING THE OUTLANDER TO YOUR EXACT NEEDS

			715003248	LinQ Premium Storage Bag by Ogio	P.15
E E			715003021	Low Windshield kit	P.22
STARTER			715001419	Gun Boot 6.0 Impact by Kolpin	P.27
ST			715001918	Gun Boot Rack	P.27
			+		
			715004282	LinQ Low Profile Basket	P.15
			715001910	XT Front Bumper	P.34
			715001911	XT Reat Bumper	P.34
	빌		715003614	Body Side Protector	P.36
	ADVANCE		715004279	Extreme Front Bumper	P.36
	ΑD		715001909	Fender Flares	P.37
			+		
			715004199	Aluminum Skid Plate	P.30
			715003250	Heated Grips & Thumb Throttle Combo	P.38
		PEAK	710005423	RAM LED Sportlight	P.40
		H	715006415	Can-Am HD 3500 winch	P.42

# ATV ACCESSORY COMPATIBILITY GUIDE

# We've made things super simple.

- Check your model year
- Choose engine and model
- Learn your PLATFORM CODE

This **PLATFORM CODE** will let you know at a glance if the accessory is compatible with your vehicle.

#### **EXAMPLE**

#### CARGO BAG

- Rugged all-purpose cargo bag with rain cover for additional protection against the elements.
- LinQ Luggage Rack (715001734) is required for G2S.

G2, G2L, G2S 280000539

For G1 accessories, refer to your local dealer.

Outlander	Model Year	Model	<b>Engine Configuration</b>	Platform Code
Outlander         500, 650, 800, 1000         G2           Outlander MAX         400         G1           Outlander MAX         500, 650, 800         G2           Renegade         500, 800, 1000         G2S           2014         Outlander         400         G1           Outlander         500, 650, 800, 1000         G2           Outlander MAX         400         G1           Outlander MAX         500, 650, 800, 1000         G2           Renegade         500, 800, 1000         G2S           2015         Outlander L         450, 500         G2L           Outlander L MAX         450, 500         G2L           Outlander L MAX         450, 500         G2L           Outlander MAX         500, 650, 800, 1000         G2           6x6         650, 1000         G2           Renegade         500, 800, 1000         G2           Renegade         500, 800, 1000         G2           Cutlander L MAX         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           Cutlander MAX         450, 570	2012	Outlander	400	G1
Outlander MAX         500, 650, 800         G2           Renegade         500, 800, 1000         G28           2014         Outlander         400         G1           Outlander         500, 650, 800, 1000         G2           Outlander MAX         400         G1           Outlander MAX         500, 650, 800, 1000         G2           Renegade         500, 800, 1000         G2S           2015         Outlander L         450, 500         G2L           Outlander L MAX         450, 500         G2L           Outlander L MAX         450, 500         G2           6x6         650, 1000         G2           Renegade         500, 650, 800, 1000         G2           Renegade         500, 650, 800, 1000         G2           Renegade         500, 650, 850, 1000         G2           Renegade         500, 650, 850, 1000         G2           Qutlander L MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           8x6         650, 1000         G2           Renegade         570, 850, 1000         G2           Outlander MAX	2013	Outlander	500, 650, 800, 1000	G2
Renegade   500,800,1000   G2S		Outlander MAX	400	G1
Outlander		Outlander MAX	500, 650, 800	G2
Outlander         500, 650, 800, 1000         G2           Outlander MAX         400         G1           Outlander MAX         500, 650, 800, 1000         G2           Renegade         500, 800, 1000         G2S           2015         Outlander L         450, 500         G2L           Outlander L MAX         450, 500         G2L           Outlander MAX         500, 650, 800, 1000         G2           6x6         650, 1000         G2           Renegade         500, 800, 1000         G2S           2016         Outlander MAX         570, 650, 850, 1000         G2           Renegade         500, 800, 1000         G2S           2016         Outlander L         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           6x6         650, 1000         G2           Renegade         570, 850, 1000         G2S           2017         Outlander         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2		Renegade	500, 800, 1000	G2S
Outlander MAX         400         G1           Outlander MAX         500, 650, 800, 1000         G2           Renegade         500, 800, 1000         G2S           2015         Outlander L         450, 500         G2L           Outlander L MAX         450, 500         G2L           Outlander L MAX         450, 500         G2L           Outlander L MAX         500, 650, 800, 1000         G2           6x6         650, 1000         G2           Renegade         500, 800, 1000         G2S           2016         Outlander L         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           6x6         650, 1000         G2           Renegade         570, 650, 850, 1000         G2           Renegade         570, 850, 1000         G2S           2017         Outlander         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         450, 850, 1000         G2 <t< td=""><td>2014</td><td>Outlander</td><td>400</td><td>G1</td></t<>	2014	Outlander	400	G1
Outlander MAX         500, 650, 800, 1000         G2           Renegade         500, 800, 1000         G2S           2015         Outlander L         450, 500         G2L           Outlander L MAX         450, 500         G2L           Outlander L MAX         500, 650, 800, 1000         G2           6x6         650, 1000         G2           Renegade         500, 800, 1000         G2S           2016         Outlander L         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander L MAX         570, 650, 850, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           8enegade         570, 850, 1000         G2           8enegade         570, 850, 1000         G2           Outlander         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2           Renegade         570, 850, 1000	LUIT	Outlander	500, 650, 800, 1000	G2
Renegade   500, 800, 1000   G2S		Outlander MAX	400	G1
Outlander L   450, 500   G2L		Outlander MAX	500, 650, 800, 1000	G2
Outlander         500, 650, 800, 1000         G2           Outlander L MAX         450, 500         G2L           Outlander MAX         500, 650, 800, 1000         G2           6x6         650, 1000         G2           Renegade         500, 800, 1000         G2S           Outlander L         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander L MAX         570, 650, 850, 1000         G2           Outlander L MAX         570, 650, 850, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           Renegade         570, 850, 1000         G2S           Outlander         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2S           Cottlander         45		Renegade	500, 800, 1000	G2S
Outlander         500, 650, 800, 1000         G2L           Outlander L MAX         450, 500         G2L           6x6         650, 1000         G2           Renegade         500, 800, 1000         G2S           2016         Outlander L         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           6x6         650, 1000         G2           Renegade         570, 850, 1000         G2S           2017         Outlander         450, 570         G2L           2018         Outlander         450, 570         G2L           2018         Outlander         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2	2015	Outlander L	450, 500	G2L
Outlander MAX         500, 650, 800, 1000         G2           6x6         650, 1000         G2           Renegade         500, 800, 1000         G2S           2016         Outlander L         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           6x6         650, 1000         G2           Renegade         570, 850, 1000         G2S           2017         Outlander         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           Renegade         570, 850, 1000         G2S           2019         Outlander         450, 570         G2L           Outlander         450, 570         G2L           Outlander         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570 <td>LUIS</td> <td>Outlander</td> <td>500, 650, 800, 1000</td> <td>G2</td>	LUIS	Outlander	500, 650, 800, 1000	G2
6x6       650, 1000       G2         Renegade       500, 800, 1000       G2S         2016       Outlander L       450, 570       G2L         Outlander L MAX       450, 570       G2L         Outlander MAX       570, 650, 850, 1000       G2         6x6       650, 1000       G2         Renegade       570, 850, 1000       G2S         2017       Outlander       450, 570       G2L         Outlander       450, 570       G2L         Outlander MAX       450, 570       G2L         Outlander MAX       450, 570       G2L         Outlander MAX       650, 850, 1000       G2         6x6       650, 1000       G2         Renegade       570, 850, 1000       G2S          2019       Outlander       450, 570       G2L         Outlander MAX       450, 570       G2L         Outlander MAX       450, 570       G2L         Outlander MAX       570, 650, 1000, 1000R       G2		Outlander L MAX	450, 500	G2L
Renegade 500, 800, 1000 G2S  2016  Outlander L 450, 570 G2L  Outlander S70, 650, 850, 1000 G2  Outlander MAX 450, 570 G2L  Outlander MAX 570, 650, 850, 1000 G2  6x6 650, 1000 G2  Renegade 570, 850, 1000 G2S  Outlander MAX 450, 570 G2L  Outlander 650, 850, 1000 G2S  Outlander 650, 850, 1000 G2  Outlander 650, 850, 1000 G2  Outlander MAX 450, 570 G2L  Outlander MAX 650, 850, 1000 G2  Experimental Control of the Control of th		Outlander MAX	500, 650, 800, 1000	G2
2016         Outlander L Outlander         450, 570         G2L Outlander           Outlander L MAX         450, 570         G2L Outlander L MAX         450, 570         G2L Outlander L MAX           Outlander MAX         570, 650, 850, 1000         G2         6x6         650, 1000         G2           Renegade         570, 850, 1000         G2S         G2L         Q2           Outlander         450, 570         G2L         G2L           Outlander MAX         450, 570         G2L         G2L           Outlander MAX         650, 850, 1000         G2         G2L           6x6         650, 1000         G2         G2           6x6         650, 1000         G2         G2           Renegade         570, 850, 1000         G2S           2019         Outlander         450, 570         G2L           Outlander         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         570, 650, 1000, 1000R         G2           6x6, 6x6 MAX         450         G50, 1000, 1000R         G2		6x6	650, 1000	G2
Outlander 570, 650, 850, 1000 G2 Outlander LMAX 450, 570 G2L Outlander MAX 570, 650, 850, 1000 G2 6x6 650, 1000 G2 Renegade 570, 850, 1000 G2S  Outlander MAX 450, 570 G2L Outlander 650, 850, 1000 G2 Outlander 650, 850, 1000 G2 Outlander MAX 450, 570 G2L Outlander MAX 650, 850, 1000 G2  6x6 650, 1000 G2 Renegade 570, 850, 1000 G2 Renegade 570, 850, 1000 G2 Outlander MAX 650, 850, 1000 G2 Renegade 570, 850, 1000 G2 Outlander MAX 650, 570 G2L Outlander 450, 570 G2L Outlander 450, 570 G2L Outlander MAX 450, 650, 1000, 1000R G2 6x6, 6x6 MAX 450 G2L 6x6, 6x6 MAX 450 G2L 6x6, 6x6 MAX 650, 1000 G2		Renegade	500, 800, 1000	G2S
Outlander L MAX	2016	Outlander L	450, 570	G2L
Outlander MAX 570, 650, 850, 1000 G2 6x6 650, 1000 G2 Renegade 570, 850, 1000 G28  Outlander 450, 570 G2L Outlander MAX 450, 570 G2L Outlander MAX 650, 850, 1000 G2 6x6 650, 1000 G2 Renegade 570, 850, 1000 G2 6x6 650, 1000 G2 Renegade 570, 850, 1000 G28  Outlander MAX 450, 570 G2L Outlander MAX 650, 570 G2L Outlander MAX 650, 850, 1000 G2 Renegade 570, 850, 1000 G28  Outlander 450, 570 G2L Outlander MAX 570, 650, 1000, 1000R G2 6x6, 6x6 MAX 450 G2L 6x6, 6x6 MAX 450 G2L	2010	Outlander	570, 650, 850, 1000	G2
6x6 650, 1000 G2 Renegade 570, 850, 1000 G2S  2017 Outlander 450, 570 G2L Outlander MAX 450, 570 G2L Outlander MAX 650, 850, 1000 G2 6x6 650, 1000 G2 Renegade 570, 850, 1000 G2 Renegade 570, 850, 1000 G2S  Outlander MAX 450, 570 G2L Outlander MAX 650, 570 G2L Outlander MAX 650, 850, 1000 G2 Renegade 570, 850, 1000 G2S  Outlander 450, 570 G2L Outlander MAX 570, 650, 1000, 1000R G2 6x6, 6x6 MAX 450 G2L 6x6, 6x6 MAX 650, 1000 G2		Outlander L MAX	450, 570	G2L
Renegade 570, 850, 1000 G2S  2017 Outlander 450, 570 G2L Outlander 650, 850, 1000 G2 Outlander MAX 450, 570 G2L Outlander MAX 650, 850, 1000 G2 6x6 650, 1000 G2 Renegade 570, 850, 1000 G2S  Outlander MAX 450, 570 G2L Outlander 570, 650, 1000 G2S  Outlander 450, 570 G2L Outlander MAX 450, 570 G2L Outlander 570, 650, 1000, 1000R G2 Outlander MAX 450, 570 G2L Outlander MAX 570, 650, 1000, 1000R G2 6x6, 6x6 MAX 450 G2L 6x6, 6x6 MAX 450 G2L 6x6, 6x6 MAX 650, 1000 G2		Outlander MAX	570, 650, 850, 1000	G2
2017         Outlander         450, 570         G2L           2018         Outlander         650, 850, 1000         G2           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2           Renegade         570, 850, 1000         G2S           2019         Outlander         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         570, 650, 1000, 1000R         G2           6x6, 6x6 MAX         450         G2L           6x6, 6x6 MAX         450         G2L           6x6, 6x6 MAX         650, 1000         G2		6x6	650, 1000	G2
Outlander 650, 850, 1000 G2 Outlander MAX 450, 570 G2L Outlander MAX 650, 850, 1000 G2 6x6 650, 1000 G2 Renegade 570, 850, 1000 G2S  Outlander MAX 450, 570 G2L Outlander 570, 650, 1000, 1000R G2 Outlander MAX 450, 570 G2L Outlander MAX 570, 650, 1000, 1000R G2 6x6, 6x6 MAX 450 G2L 6x6, 6x6 MAX 650, 1000 G2		Renegade	570, 850, 1000	G2S
Outlander MAX 450, 570 G2L Outlander MAX 650, 850, 1000 G2 6x6 650, 1000 G2 Renegade 570, 850, 1000 G2S  Outlander MAX 450, 570 G2L Outlander 450, 570 G2L Outlander 570, 650, 1000, 1000R G2 Outlander MAX 450, 570 G2L Outlander MAX 450, 570 G2L Outlander MAX 570, 650, 1000, 1000R G2 6x6, 6x6 MAX 450 G2L 6x6, 6x6 MAX 650, 1000 G2	2017	Outlander	450, 570	G2L
Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2           Renegade         570, 850, 1000         G2S           2019         Outlander         450, 570         G2L           Outlander         570, 650, 1000, 1000R         G2           Outlander MAX         450, 570         G2L           Outlander MAX         570, 650, 1000, 1000R         G2           6x6, 6x6 MAX         450         G2L           6x6, 6x6 MAX         650, 1000         G2		Outlander	650, 850, 1000	G2
6x6 650, 1000 G2 Renegade 570, 850, 1000 G2S  2019 Outlander 450, 570 G2L Outlander 570, 650, 1000, 1000R G2 Outlander MAX 450, 570 G2L Outlander MAX 570, 650, 1000, 1000R G2 6x6, 6x6 MAX 450 G2L 6x6, 6x6 MAX 650, 1000 G2	2018	Outlander MAX	450, 570	G2L
Renegade 570,850,1000 G2S  2019 Outlander 450,570 G2L Outlander 570,650,1000,1000R G2 Outlander MAX 450,570 G2L Outlander MAX 570,650,1000,1000R G2 6x6,6x6 MAX 450 G2L 6x6,6x6 MAX 650,1000 G2		Outlander MAX	650, 850, 1000	G2
2019       Outlander       450, 570       G2L         Outlander       570, 650, 1000, 1000R       G2         Outlander MAX       450, 570       G2L         Outlander MAX       570, 650, 1000, 1000R       G2         6x6, 6x6 MAX       450       G2L         6x6, 6x6 MAX       650, 1000       G2		6x6	650, 1000	G2
Outlander 570, 650, 1000, 1000R G2 Outlander MAX 450, 570 G2L Outlander MAX 570, 650, 1000, 1000R G2 6x6, 6x6 MAX 450 G2L 6x6, 6x6 MAX 650, 1000 G2		Renegade	570, 850, 1000	G2S
Outlander S70, 650, 1000, 1000R G2 Outlander MAX 450, 570 G2L Outlander MAX 570, 650, 1000, 1000R G2 6x6, 6x6 MAX 450 G2L 6x6, 6x6 MAX 650, 1000 G2	2019	Outlander	450, 570	G2L
Outlander MAX         570, 650, 1000, 1000R         G2           6x6, 6x6 MAX         450         G2L           6x6, 6x6 MAX         650, 1000         G2		Outlander	570, 650, 1000, 1000R	G2
6x6, 6x6 MAX       450       G2L         6x6, 6x6 MAX       650, 1000       G2	<b>2021</b>	Outlander MAX	450, 570	G2L
6x6, 6x6 MAX 650, 1000 <b>G2</b>		Outlander MAX	570, 650, 1000, 1000R	G2
3.1.4, 2.1.2		6x6, 6x6 MAX	450	G2L
Renegade 650, 1000, 1000R <b>G2S</b>		6x6, 6x6 MAX	650, 1000	G2
		Renegade	650, 1000, 1000R	G2S





		•			
LITTL	ACCESSORIES				
	uickly install and remove accessories by hand	Compat	ibility/Requireme	nts	
	for specialized tasks in no time estem that holds up to the roughest terrain	Outlander 450/570	Outlander	Renegade	
LinQ ACCESSOR	IES WITH 16" BASE P. 11 · Lower loading	- mounted 16 inches apart, center-t   capacity than the 36'' base acces n Can-Am ATV and SSV vehicles, S	sories.	ki-Doo snowmohiles	
9	LinQ 4.2 GAL (16 L) COOLER 295100698	and the same controlled, or	a Boo water craft and o		
	<b>LinQ TOOL BOX</b> 715004301			Lin O Lumana Back	
	<b>LinQ SR 5.5 GAL (21 L) BAG</b> 860201740	Not compatible	LinQ Anchor Adaptor Kit 715004960	LinQ Luggage Rack 715001734 + LinQ Anchor Adaptor Kit	
	<b>LinQ 4.5 GAL (17 L) SPORT BAG</b> 860201678			715004960	
(- tung	<b>LinQ DRY BAG</b> 715002875				
LinQ ACCESSOR	IES WITH 36" BASE P. 12-15 · Higher loading	Q racks often used by Can-Am OR\ g capacity than the 16" base acces ed to Can-Am ORV vehicles.			
	<b>LinQ 12 GAL (45 L) CARGO BOX</b> 715003879	LinQ Base			
	<b>LinQ 23 GAL (86 L) GAL TRUNK BOX</b> 715004923	715002350			
	<b>LinQ 32 GAL (121 L) TRUNK BOX</b> 715001747 / 715001749 (MAX)	Not compatible			
	<b>LinQ 11.5 GAL (43 L) AUDIO CARGO BOX</b> 715003018	<b>LinQ Base</b> 715002350	No further requirements	LinQ Luggage Rack 715001734	
	<b>LinQ 8 GAL (30 L) COOLER BOX</b> 715004778 • Black / 715004698 • Grey	Not compatible			
	LinQ PREMIUM STORAGE BAG BY OGIO 715002923 • Black / 715003248 • Camo				
a miles in in	<b>LinQ HEAVY-DUTY BASKET</b> 715001215	<b>LinQ Base</b> 715002350			
	<b>LinQ LOW PROFILE BASKET</b> 715004282				
LinQ RACKS & HI	<b>DLDERS</b> P. 25-27				
<b>5</b>	<b>LinQ 4" (10 CM ) RACK EXTENSION</b> 715001711• Silver / 715001665 • Black	Not compatible *Alternative 5" or 8" Rack			
	<b>LinQ 6" (15 CM) RACK EXTENSION</b> 715001712 • Silver / 715001671 • Black	Extensions (715001913 or 715001914) are available for G2L		LinQ Luggage Rack	
40	<b>LinQ MOUNTED GEAR GRIPS</b> 715001351	Not compatible *Alternative Gear Grips by Kolpin (715001421) are availabe for G2L	No further requirements	715001734	
44	LinQ TOOL HOLDER 715003059	<b>LinQ Base</b> 715002350			
7	<b>LinQ GUN BOOT RACK</b> 715002112 / 715002113	Not compatible *Alternative Gun Boot Racks (715001918 or 715001919) are available for G2L		Not compatible	
0 1 1 1					



#### OUTLANDER | RENEGADE

#### LinQ 4.2 GAL (16 L) COOLER

- Rotomolded construction for exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.

  Marinized for celt water purposes.
- Marinized for salt water purposes.
- See table for installation location and requirements.

<u>G2, G2S</u> 295100698



EXPERT CHOICE

One of the most versatile and popular coolers on the market made for rugged use.

#### LinQ TOOL BOX

- High precision injected HDPE construction provides rigidity and durability.
- 5 Gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
- LinQ Cargo Base Kit included (860201806).
- Marinized for salt water purposes.
- See table for installation location and requirements.

<u>G2, G2S</u> 715004301



#### SR 5.5 GAL (21L) LinQ BAG

- Semi-rigid expandable bag.
- •5.5 Gal (21L) capacity.
- LinQ Cargo Base Kit included (860201801).
   See table for installation location and requirements.
- G2, G2S 860201740



#### LinQ 4.5 GAL (17 L) SPORT BAG

- 17-liter 4.5 Gal (17 L) capacity.
- Rigid bottom,
- semi-rigid top.
- See table for installation location and requirements.
- LinQ Cargo

  Base Kit included
- Base Kit included **G2, G2S**

860201678



#### LinQ DRY BAG

- Fully waterproof roll-top dry bag will securely store and confine your equipment.
- LinQ mounted using heavy-duty rigid plastic base.
- High capacity storage solution 10.6 Gal (40L).
- Bottom foam liner for additional equipment protection.
   Integrated handle for easy transportation on/off the vehicle.
- LinQ Cargo Base Kit included (860201806).
- Marinized for salt water purposes.
- See table for installation location and requirements.

<u>G2, G2S</u> 715002875





LinQ ACCESSORIES WITH 36" BASE

#### **OUTLANDER | RENEGADE**

#### LinO 12 GAL (45L) CARGO BOX

- · LinQ mounted for easy on, easy off installation.
- Holds cargo safely and securely while riding.
- ·See table for installation location and requirements

G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S 715003879



#### LinO 23 GAL (86L) TRUNK BOX

- · LinQ mounted for easy on, easy off installation.
- Lockable and weather-resistant.
- · Holds cargo safely and securely while riding.
- · Comfort pads for passenger.
- · See table for installation location and requirements.

G2 (except 6x6 models), G2L, G2S

715004923



Ling Accessories with 36" Base

#### **OUTLANDER | RENEGADE**

# LinQ 32 GAL (124L) TRUNK BOXES

#### Seamless integration with vehicle

- Built from the design stage to specifically match your Can-Am vehicle.
- Totally cohesive design eliminates the need to modifiy your vehicle in any way\*. · Rear tail light.
- **Color-keyed panels**

· Colored Trunk Box Panels & Camo Decals are available to match your Outlander (sold separately).

#### Easy quick-attach installation

- Equipped with the LinQ System, the rear trunk box plugs in and out in seconds.
- Instantly transforms your vehicle to suit the need of the moment.

#### Unparalleled storage

•32 Gal (124L) load capacity with contiguous unobstructed space to maximize storage room and access to the trunk's interior.

#### **Built tough**

 Made of injection-molded polyethylene, double walled in critical areas.

#### **Dust and weather proof**

• The fully sealed lid protects your belongings from dust, moisture and the elements.

#### Lockable

· Built-in lockable barrel.

# LinQ 32 GAL (124L) TRUNK LinQ 32 GAL (124L) TRUNK BOX PANELS **Choose from 11 different** colors to perfectly match

#### LinQ 32 GAL (124L) TRUNK BOX

- LinQ Retrofit Adaptor Plate (715001334) is required for G1 models.
- Trunk Box Panels available in many colors to match your vehicle (sold separately).
- ·See table for installation location and requirements

G2 (except MAX models & 6x6),

715001747

Furonean Version (EC compliant) · No rear tail light.

715001748

#### LinQ 32 GAL (124L) TRUNK BOX FOR OUTLANDER MAX

- Passenger comfort is ensured on active rides as well as longer recreational rides thanks to the ergonomically designed passenger padding comfort-fitted with a portion made of closed cell foam that won't absorb water.
- Very easy to embark even when driver is seated
- •Trunk Box Panels available in many colors to match your vehicle (sold separately).

G2 (MAX models only except 6x6 models)

715001749

**EUROPEAN VERSION (EC compliant)** · No rear tail light.

715001750





# **EXPERT** CHOICE

Add lockable storage, style, and passenger comfort-no tools needed

#### LinQ 32 GAL (124L) TRUNK BOX PANELS

• Color panels to match the 32 Gal (124L) LinQ Trunk Box to your vehicle.

#### LinQ 32 Gal (124L) Trunk Boxes 715001391 • Black

- 715001392 Yellow
- 715001395 . Viner Red 715002481 • White 715002480 - Light Grey
- 715002985 Manta Green 715002986 • Can-Am Red 715006119 • Orange Crush 715006120 · Squadron Green 715007074 • Tundra Green New

715002984 • Octane Blue


#### **EUROPEAN VERSION (EC compliant)** · No rear tail light

- 715001397 Black 715001398 • Yellow
- 715002482 Light Grey 715002483 White
- 715006121 Can-Am Red 715006122 • Manta Green 715006123 • Orange Crush
- 715006124 Viper Red

#### **TRUNK BOX PANELS** (Not illustrated) · Camo pattern perfectly matches your camo vehicle.

**CAMO DECALS FOR BLACK** 

LinQ 32 Gal (124L) Black Trunk Box Panel 715002975 • Mossy Oak Break-Up Country Camo







\*WARNING: You should never accessorize your Can-Am off-road vehicle with accessories not approved by BRP because your vehicle may no longer meet certain safety and construction standards. This situation could increase the risk of severe injury or death and render your vehicle not legal for use



LinQ: Easy On Easy Off Cargo 15



**OUTLANDER | RENEGADE** 

#### LinQ 11.5 GAL (43L) AUDIO CARGO BOX

- Mounts on/off easily to hold/carry cargo
- •The Bluetooth enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover.
- Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity.
- Backlit control panel perfect for night riding. · Water-resistant speakers.
- Delivers the best sound quality on the market to sweeten your ride courtesy of a built-in full range high-efficiency amplifier. See table for installation location and

G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S 715003018



Quickly attach or remove for ultimate sound and added storage, anytime.

#### LinQ 8 GAL (30L) COOLER BOX

- · LinQ mounted for easy on, easy off installation
- Rotomolded construction provides exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Integrated, fully-removable compartment protects food.
- Robust rubber latches keep the cover tightly closed.
- · Weather-resistant.
- · Convenient drain plug.
- •See table for installation location and requirements.

G2 (except 6X6 models), G2S 715004778 • Black

G2 (except 6x6 models), G2S 715004698 · Grey



#### LinQ PREMIUM STORAGE BAG BY OGIO

• Tool-less installation and removal thanks to the LinQ System.

**OUTLANDER** | **RENEGADE** 

- 17.2 Gal (65 L) capacity semi-rigid cargo bag ideal for carrying anything you need on your vehicle.
- Buckle and elastic closure with a rubber seal that protects dust from entering the bag.
- 3-section lid for partial or full access to your bag.
- Inside separators for optimal bag organization.
- See table for installation location and requirements.

G2 (except 6x6 models), G2L, G2S

215003248 • Mossy Oak **Break-Up Country Camo** 

LinQ ACCESSORIES WITH 36" BASE



#### LinQ HEAVY-DUTY BASKET

- Made of high-strength, low-alloy steel.
- · LinQ mount for easy on, easy off installation.
- Can be placed on both front and back racks of vehicle.
- See table for installation location and requirements.

G2, G2L (front only for MAX & 6x6 models), G2S 715001215





Superior build strength and high-walled sides for extra secure load capacity.

#### **LinQ LOW PROFILE BASKET**

- · Low profile, open basket increases cargo space.
- Perfect for easy access to tools, rope, winch and plow accessories.
- · Multiple bungee cord and tie-down anchor points.
- Made of impact-resistant injected polypropylene. · See table for installation location and requirements.





#### **OUTLANDER | RENEGADE**

#### New LinQ ANCHOR ADAPTOR KIT

- Allows the installation of accessoiries with LinQ base of 16" on LinQ racks.
- Tool-less installation and removal.
- For G2S, the LinQ Luggage Rack (715001734) is required for installation.

G2, G2S

715004960



#### LinQ BASE

- Made of polypropylene glass fiber.
- Allows you to install LinQ accessories.
- Sold in pack of 4.

715002350



#### **LinQ REPLACEMENT PARTS**

- Unique mounting fastener usable on any LinQ System accessory.
- Tool-less installation and removal.
- ·Sold in pairs.

715001707



#### **SOFT STORAGE BAG**

- -3-section bag.
- Transport gear in a weatherproof bag.
  11.8 Gal (45L) capacity soft cargo bag designed with vehicle's rack in mind to maximize potential storage.
- LinQ Luggage Rack (715001734) is required for G2S.

G2, G2L, G2S

715003759 - Black



#### STORAGE 2.6 GAL (10L) BAG

- Roll-top dry bag for fully protecting your cargo from the elements.
- Fits in rear compartment of your vehicle. 269502121







#### **OUTLANDER 6X6**

#### **LOG BARS**

- Log bars allow you to convert the cargo bed into a perfect transport space for 4' (120 cm) timber.
- The driver's safety is guaranteed by the protective front screen.

#### G2 (6x6 models only)

715001987



#### **SIDE WALLS AND TAIL GATE**

- Allows for a quick and easy conversion of the cargo bed into a trunk with plenty of room.
- Rotationally molded walls provide extreme durability for hard work in all conditions.

G2 (6x6 models only) 715005153 · Europe

#### HARD TOP

- The hard top provides a 116 Gal (440L) cargo box.
- Locking secures your belongings.
- •The cover raises assisted by gas cylinders.

G2 (6x6 models only)

715002394



#### **CARGO BOX POOL**

- $\bullet$  Transforms the flatbed into a large capacity cargo box for increased loading possibilities.
- Made of durable formed HDPE and shaped to maximize cargo space.
- Allows access to vehicle's water-resistant rear compartment.
   Designed for perfect fit and easy installation.
- Designed for perfect fit and easy ins

G2L (6x6 models only) 715005256



#### TAILGATE EXTENSION/DIVIDER

- The sturdy tailgate extension provides a 10" (25 cm) extension to the cargo space.
- •Thanks to the longer cargo bed, even large loads pose no problem.
- With the help of LinQ quick locks, the extension also acts as a solid space divider for the cargo bed.

G2 (6x6 models only)

715002017



#### **OUTLANDER 6X6**

#### **TARPAULIN**

- Fitted to cover all of the items in your cargo box thoroughly.
- Prevents splash from entering cargo box.
- Easily removable for quick access.

G2 (6x6 models only)

715002416

#### 18 GAL (70L) UTILITY BOX

- Wherever you go and whatever you do, this handy 18 Gal (70L) utility box is your mobile storage.
- •The lid keeps your equipment safe from the elements in all conditions.
- Slides under the flatbed with handles for easy access.

G2 (6x6 models only)

715001999



#### CARGO BOX NET

 $\bullet$  Solid net designed to hook to the bottom of the cargo box for secure and compact confinement of your cargo.

G2 (6x6 models only) 715001371



#### TAILGATE LIMITER KIT

- •2 L-shape brackets that hold the tailgate open horizontally.
- Keeps tailgate flush with the rest of the flatbed for longer oversized cargo.

G2 (6x6 models only)







# **CREATE YOUR ULTIMATE** WIND PROTECTION IN 3 EASY STEPS



#### 1 CHOOSE A DELUXE FAIRING COLOR



#### **CAMO DECALS FOR BLACK DELUXE FAIRING**

(Not illustrated)

· Camo pattern perfectly matches your camo vehicle.

**Deluxe Fairing** 

715002976 • Mossy Oak Break-Up Country Camo 11 715001684 • Next G-1 Vista Camo







#### **TAPERED HANDLEBAR ADAPTOR KIT**

• Required to install Deluxe Fairing on an Outlander X-TP and on any vehicle equipped with

1 1/8" (28 mm) tapered aluminum handlebars.

**Deluxe Fairing** 715002470

#### **2** CHOOSE THE WINDSHIELD HEIGHT ACCORDING TO YOUR RIDING STYLE

#### **EXTRA HIGH WINDSHIELD**

- · 16" (41 cm) windshield provides the ultimate protection against the elements while touring. · For wind protection and winter applications.
- · Tool-less installation and replacement.

**Deluxe Fairing** 715000936

16" (41 cm)

## HIGH WINDSHIELD

- 11" (28 cm) high, for wind protection and winter applications
- Tool-less installation and replacement.

**Deluxe Fairing** 715001211

11" (28 cm)

#### LOW WINDSHIELD

- 6" (15 cm) windshield allows you to keep your vehicle looking sporty while giving you some protection
- from the elements and the possibility of enjoying directional lighting.
- Tool-less installation and replacement.

**Deluxe Fairing** 715001227



6" (15 cm)



#### **3** COMPLETE WITH PERFECTLY INTEGRATED ACCESSORIES

#### **AUXILIARY WINDSHIELD LIGHTING**

- •2 premium LED spots for Deluxe Fairing for both
- increased output and directional lighting. • 1,800 lumens.
- •2 x 10W LED Cree light kit.
- Long-range illumination up to 350' (107 m). drawing less than 1 amp per light

**Deluxe Fairing** 715003115



#### **DELUXE MIRROR KIT**

- Improved mounting system
- Wide rear view. • Perfect fit with your
- Deluxe Fairing and Deluxe Windshield **Deluxe Fairing**



# Windshields INTEGRATED AIRFLOW **VENT REDUCES AIR TURBULENCE AND** ENGINE RUMBLE AT HIGHER SPEEDS FOR LESS BUFFETING AND MORE COMFORT.

**OUTLANDER | RENEGADE** 

# WINDSHIELD KITS

- Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter and smoother ride.
- Quick tool-less removal once base brackets are mounted on handlebar.
- Fits straight and tapered handlebars.
- · Improved design for enhanced rigidity

#### EXTRA HIGH WINDSHIELD KIT

- 16" (41 cm) windshield.
- For ultimate wind protection and winter applications.

G2, G2L, G2S (except X mr models) 715003023



#### HIGH WINDSHIELD KIT

- 11" (28 cm) windshield.
- For wind protection and winter applications.

G2, G2L, G2S (except X mr models) 715006382

11" (28 cm)



**8** LOW WINDSHIELD KIT

G2, G2L, G2S (except X mr models)

• Allows you to keep your vehicle looking sporty while

giving you some protection from the elements.

•6" (15 cm) windshield.

Extra High

6" (15 cm)

#### **OUTLANDER | RENEGADE**

#### **HANDLEBAR WIND DEFLECTORS**

- Rugged injected plastic construction with Can-Am logo.
- Include removable cap for air flow adjustment.
- · Mounting kit sold separately.

#### G2, G2L, G2S

- 715000525 Black / Yellow
- 715000537 White / Black 715001706 • Black / Black
- 715000733 Yellow / Black
- 715003811 Can-Am Red / Black
- 715003812 Manta Green / Black
- 715003813 Orange / Black
- 715003814 Octane Blue / Black 715006117 · Squadron Green/Black
- 715006118 · Viper Red/Black



#### **PASSENGER WIND DEFLECTORS**

- These wind deflectors fit on the passenger handles and provide greater comfort while riding.
- · Easy to install and remove.

G2 and G2L (MAX models only)



#### **FULL WRAP ALUMINUM MOUNTING KIT**

- · Lightweight black die cast aluminum construction.
- Includes complete hardware.
- · Handlebar wind deflectors sold separately.

G2, G2L, G2S 715001378



#### SHORT ALUMINUM MOUNTING KIT

- · Lightweight black die cast aluminum construction.
- Includes complete hardware.
- · Handlebar wind deflectors sold separately.

G2, G2L, G2S

715001379



#### MIRROR KIT FOR HANDLEBAR WIND DEFLECTORS

- Do not fit with Full Wrap Aluminum Mounting Kit (715001378).
- ·Sold in pairs.

**Handlebar Wind Deflectors** 





#### **ALUMINUM TAPERED HANDLEBAR**

- •7/8"- 1 1/8" (22 mm 28 mm) tapered handlebar made of 6061-T6 aluminum.
- Includes all hardware, center steering foam and cover.

G2, G2L, G2S



#### XT HANDLEBAR PROTECTOR KIT

• Not compatible with Mud Strap (715003053).

G2, G2L 703100352

#### **MIRRORS**

- •True vision surface 5" x 3" (13 cm x 8 cm).
- · Matte finish.
- Stem includes 3/8" (10 mm) thread.

#### Left - 3/8" (10 mm)

- Bracket (715000190) is required for installation on DS 450.
- Bracket not required for installation on Outlander and Renegade.

#### 709400406

#### Right - 3/8" (10 mm)

 Bracket (715000190) required except for vehicles with right hand break



COMFORTABLE

DRIVER & PASSENGER

OPTIONS FOR **ALL RIDERS** 

SEATING



#### **OUTLANDER**

#### **DRIVER BACKREST**

- Provides the rider's back with that extra support that makes
- riding that extra mile way more comfortable. • Adjusts horizontally to match the driver's height and preference.
- · Mounts and locks in firmly onto the vehicle.

G2 (except 6x6 & MAX models)

715003940

G2 2015 & up, G2L (MAX models only, except 6x6 models)

715003942

G2L (except MAX models)

715003941

G2 (6x6 models only, except Max) 715003611



#### **OUTLANDER MAX PASSENGER SEAT KIT**

• Perfect to replace used or damaged passenger seat.

G2 2015 and up, G2L (MAX models only) 715002373



#### **OUTLANDER | RENEGADE**

#### LinQ RACK EXTENSION

- Fits front or rear. ·Strong and durable.
- Helps keep cargo securely in place. G2, G2S
- Easy and tool-less installation thanks to the LinQ System.
- Anti-corrosion coating with durable powder coat finish. LinQ Luggage Rack (715001734) is required for G2S.

#### 4" (10 CM)

715001711 • Silver 715001665 • Black

### 6" (15 CM)

715001712 • Silver 715001671 • Black

Twist & Go installation for adding cargo capability in seconds.

CHOICE



Racks & Holders 27



# RENEGADE

#### **OUTLANDER**


#### **RACK EXTENSION**

- · Fits front or rear.
- · Made of carbon steel. · Provides tie-down points to secure cargo on racks.

5" (13 CM) 715001913

8" (20 CM)

715001914



Durable extensions with multiple attachment points and work-ready



**REAR ALUMINUM RACK** 

Stamped 5052 aluminum center plate.

· Compact, lightweight aluminum construction.

•30 lb (14 kg) capacity.

· Easy to install.

715001360

Engraved Can-Am logo.



- Bolt-on rack.
- · Enables use of LinQ mounted accessories on the G2S.

(except X mr models) 715001734



# **OUTLANDER**

#### GUN BOOT RACK 🦻

- · Made of steel.
- Designed for the tubular rack.
- For use with Gun Boot 6.0 Impact by Kolpin.
- Can be mounted to either side of the vehicle.

G2L (except MAX models)

715001918

G2L (MAX models only)

715001919



#### **GUN BOOT 6.0 IMPACT' BY KOLPIN'**

- •Extra room for pistol-grip-type weapons and small bipods.
- Easily fits firearms up to 51" (130 cm) in total length.
- Provides ample room for 2 3/8" (60 mm) scopes. · Hatchback design allows easy access.
- Ergonomically designed handle and molded
- attachment points for sling.
- G2, G2L

715001419



#### LinQ GUN BOOT RACK

(Not illustrated)

- This lightweight Gun Boot Rack can be mounted on either side of your Outlander using the tool-less LinQ System.
- For use with Gun Boot 6.0 Impact by Kolpin.

G2 (except MAX, 6X6 & X mr 1000)

715002112 • Black G2 (MAX & X mr 1000 models only)

715002113 · Black

#### **MULTI-FIT HOLDER**

- Open U-shaped bracket for carrying tools (shovel, axe) and hunting weapons (rifle, bow) that are safely secured, but easily accessible.
- · Easy installation on tubular rack, extension racks, basket or bumpers.
- For G2, the LinQ Rack Extension (715001711)

715001945

is required.

Sold in pairs.

G2, G2L Single

715002354 **Double** 



· Snap-close cover with locking capability.

bolt-action rifles and shotguns.

• Designed to accommodate left and right hand

Impact liner for superior interior protection.

• Includes removable, shock absorbing foam and nylon

Requires appropriate mounting kit for installation.

#### **OUTLANDER | RENEGADE**

#### **GEAR GRIPS BY KOLPIN**

- Durable, flexible grips cushion and protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly
- for easy access to gear.
- · Heavy-duty base system built for the toughest adventures.
- · Easy installation on tubular racks, extension racks, brackets or bumpers
- Sold in pairs.
- <u>G2L</u>

715001421



#### LinQ MOUNTED GEAR **GRIPS BY KOLPIN**

(Not illustrated)

- Same features as Gear Grip by Koplin (715001421).
- Make transporting your tools
- a snap by combining the Gear Grips with the LinQ System.
- 360° orientation.
- · LinQ Luggage Rack (715001734) is required for G2S.

G2, G2S 715001351

#### LinQ TOOL HOLDER

- · Ultra-versatile tool holder.
- · Convenient swivel-latch allows tools to be stored
- in any orientation. ·LinQ Luggage Rack (715001734)
- is required for G2S. ·Sold in pairs.
- G2, G2S, G2L 715003059







Offer your			G	2			G	2L	G	2S
Outlander or	2016 &	PRIOR	2017 <sup>.</sup>	2017-2018		2019 & UP			2017-2018 MODELS	2019 & UP
Renegade the full protection kit or get them individually	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only		
HMWPE SKID PLATE PROTECTION KIT	715004214	715004215	715004209	715004210	715004806	715004807	715004211	715004212	715004213	715004809
INDIVIDUAL HM	WPE SKID	PLATES								
1 A-ARM PROTECTORS	715002924	715002924	715002924	715002924	715004822	715004822	715002924	715002924	715002924	715004822
② UNDERBELLY PLATES	715002926	715002927	715002926	715002927	715002926	715002927	715002928	715002929	715002974	715002974
③ TRAILING ARM PROTECTORS	715002925	715002925	715003466	715003466	715004823	715004823	715003466	715003466	715003466	715004823



Offer your Outlander & Renegade the full protection kit or get them individually	Outlander	Outlander MAX	Outlander 6x6	G2, G2S	G2I	G2L MAX
INDIVIDUAL PLASTIC SKID	PLATES					
① A-ARM PROTECTORS G2	715002924	715002924	715002924	715002924	_	_
② TRAILING ARM PROTECTORS G2	715002925	_	715002925	715002925	-	_
③ PLASTIC SKID PLATE G2	715006019	715006020	715005290 715005320 (MAX)	_	715006115	715006116



715004201

2019 & UP

715004808

715004820

715000925


715002078

715001359

715004821

715000920

715002028



100				2			G	2L
Offer your Outlander	2016 &	PRIOR	2017-2018		2019 & UP		ANY YEAR	
the full protection kit or get them individually	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only
HMWPE SKID PLATE PROTECTION KIT	715002137	715002138	715004197	715004198	715004804	715004805	715004199	715004200
INDIVIDUAL HMWPE S	KID PLATE	S						
1 A-ARM PROTECTORS	715001667	715001667	715001667	715001667	715004820	715004820	715001667	715001667
2 FRONT SKID PLATE	715000926	715000926	715000926	715000926	715000926	715000926	715001906	715001906
③ CENTRAL SKID PLATE	715002078	715002078	715002078	715002078	715002078	715002078	715002078	715002078
4 FOOTWELL PROTECTOR PLATES	715000922	715000922	715000922	715000922	715000922	715000922	715000922	715000922
5 TRAILING ARM PROTECTORS	715001129	715001129	715003741	715003741	715004821	715004821	715003741	715003741
6 REAR DIFFERENTIAL PROTECTORS	715000920	715000920	715000920	715000920	715000920	715000920	715000920	715000920
7 REAR SKID PLATE	715002028	715002029	715002028	715002029	715002028	715002029	715002028	715002029

ALUMINUM SKID PLATES 2 For ultimate durability and strength, all our Aluminum Skid Plates are made with High Strength 5052 H32 00 Aluminum 3/16" (4.5 mm) thick. Ultimate durability High strength G2S Offer your Renegade the full protection kit or get them individually 2016 & PRIOR 2017-2018 **ALUMINUM SKID PLATE PROTECTION KIT** 715002139 715004201 INDIVIDUAL ALUMINUM SKID PLATES (1) A-ARM PROTECTORS 715001667 715001667 (2) FRONT SKID PLATE 715000925 715000925 (3) CENTRAL SKID PLATE 715002078 715002078 4 FOOTWELL PROTECTOR PLATES 715001359 715001359 NOT COMPATIBLE ON X MR MODELS (5) TRAILING ARM PROTECTORS 715001129 715003741 (6) REAR DIFFERENTIAL PROTECTORS 715000920 715000920

715002028

715002028

RENEGADE

(7) REAR SKID PLATE



				And the second
Offer your Outlander 6x6 a full protection solution		G2L 6X6		
by combining our skid plates or get them individually.	2016 & PRIOR	2017 - 2018	2019 & UP	ANY YEAR
INDIVIDUAL HMWPE SKID PLATES				
1 HMWPE A-ARM PROTECTORS	715002924	715002924	715004822	715002924
② HDPE FULL UNDERBELLY SKID PLATE	715003646 (Except MAX) 860200896 • Europe 715003647 (MAX only)	715003646 (Except MAX) 860200896 • Europe 715003647 (MAX only)	715003646 (Except MAX) 860200896 • Europe 715003647 (MAX only)	<b>715005259</b> (MAX only)
③ HMWPE TRAILING ARM PROTECTORS	715002925	715003466	715004823	715003466
INDIVIDUAL ALUMINUM SKID PLATES				
1 ALUMINUM A-ARM PROTECTORS	715001667	715001667	715004820	715001667
② ALUMINUM FULL UNDERBELLY SKID PLATE	_	_	_	_
③ ALUMINUM TRAILING ARM PROTECTORS	715001129	715003741	715004821	715003741



WORK AND MOVE CONFIDENTLY

WITH HEAVY-DUTY, HERD-FRIENDLY

PROTECTION OPTIONS

RANCHER FRONT BUMPER

**OUTLANDER** 

**XT BUMPERS** 

convert vehicle into XT model.

Provide additional protection against obstacles.

• Tough and durable, can be added on base Outlander model to

BUMPERS & GUARDS

· Large tube construction.

#### **XT FRONT BUMPER**

· Winch compatible.

G2L


715001910

#### **XT FRONT COUPLING DEVICE**

(Not illustrated)

<u>T3</u>

705205025



• Required for T3 models.



• Standard on XT models.

**XT REAR BUMPER** 

715004920

#### **XT REAR BUMPER**

- Standard on XT, XTP, Mossy Oak and Limited models.

· Large tube construction with textured

black finish and metal corners.

715001911





#### **OUTLANDER**

# **COMPLETE RANCHER** PROTECTION KIT

- These heavy-duty bumpers and fender guard are designed to pull double duty: protect your ATV and anything it comes in contact with, while also enhancing the look of your ATV.
- Made tough and designed to deliver a rugged appearance, together they offer front, rear and full side protection for farmer, rancher and forestry applications.
- Requires Body Side Protector Extensions (715003460) for installation on MAX models.
- Not compliant with T-category vehicles.

#### This kit includes:

- · Rancher Front Bumper (715003461)
- · Rancher Rear Bumper (715003462)
- · Body Side Protector (715003459)

G2, G2L (except X mr & 6x6 models)

715003463

#### **RANCHER FRONT BUMPER**

- The low front end protection and plates allow you to use your ATV within cattle herds and guard the safety of both the vehicle and the animals.
- The flat front portion facilitates gently prodding cattle or pushing light objects, e.g. closing a fence.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- •The full frontage coverage extends to provide an extra layer of defense to your headlights and radiator.
- Not compatible with track systems, plows and front hitch.
- Not compliant with T-category vehicles.

#### G2, G2L (except X mr models

715003461



#### **RANCHER REAR BUMPER**

- $\bullet \mbox{ Ideal for using your ATV within cattle herds and guard the safety of both the vehicle } \\$
- Coverage extends to provide an extra layer of defense to your tail lights.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- · Not compatible with track systems.
- · Not compliant with T-category vehicles.

#### G2, G2L (except 6x6 models)





#### **OUTLANDER**

#### **BODY SIDE PROTECTOR**

- •The heavy-duty fender guard designed to pull double duty: protecting your ATV and also enhancing the look of your ATV.
- Made tough and designed to deliver a rugged appearance, this fender guard offers full side protection for farmer, rancher and forestry applications.
- Built of durably bold 1.25" (3 cm) diameter steel-tube construction, with inside
- and outside anti-corrosion coating with durable powder coat finish.
- · Not compatible with Self Clearing Footwell.
- •XT Front and Rear Bumpers or Rancher Front and Rear Bumpers are required for installation.

• Requires Body Side Protector Extensions (715003460) for installation on MAX models.

G2, G2L, with Rancher bumpers (except X mr & 6x6 models) 715003459

G2L with XT bumpers (except X mr & 6x6 models) 715003614

G2 with XT bumpers (except 6x6 models) 715004940



#### **BODY SIDE PROTECTOR EXTENSIONS**

(Not illustrated)

 This specially designed extension for the Body Side Protector is made specifically to fit and seamlessly integrate the look of Outlander MAX models.

G2, G2L (MAX models only) 715003460

#### **EXTREME FRONT BUMPER**

- · Ultra-sturdy build.
- · Enhances front-vehicle protection.
- Compatible with XT Front Bumper. • Fits the ApacheTM 360 Track System
- (when side panels are removed). Not compliant with T-category vehicles.

 Not compatible with Front Hitch.

715001286



715001286



715004279

#### **OUTLANDER 6X6**

#### **FLATBED PROTECTION TUBES**

715004279

- Bolt-on bumpers for the sides of the 6x6 flatbed.
- Protect the exterior plastic components of the flatbed from rocks, trees and other obstacles when traversing enclosed areas or loading cargo onto the bed.

G2L (6x6 models only) G2 (6x6 models only) 715005266 715002030



#### **RENEGADE**

#### RENEGADE EXTREME **FRONT BUMPER**

• Enhanced vehicle front protection.

• Required as a mounting point for Radiator Relocator (715001929).

**G2S** 



#### **OUTLANDER**

#### **FENDER FLARES**

- Kit designed to deliver extra protection from dirt and debris, therefore a must if you enjoy riding in the mud.
- Made of injected plastic that hugs your vehicle fenders perfectly.

Not compatible with

European vehicles

715001909

- Gives vehicle added flair for that rugged cool look.
- Includes front and rear extensions and all mounting hardware.

G2 2012-2018 (except with 30" tires) (except 6x6 models) 715001764

G2 2019 & up (with 30" tires) (except 6x6 models)

 Standard on G2 X mr 1000R.





#### **FENDER FLARE EXTENSIONS**

- Block terrain debris from kicking up onto you as you ride or damaging your vehicle thanks to these extra-large Fender Flare Extensions, which also include mud flaps for added protection from mud/snow, especially when riding with track kits.
- Made of High Molecular Weight Polyethylene (HMWPE) for advanced abrasion resistance.
- Include front and rear extensions.

G2 (except 6x6 models)

· Must be used with Fender Flare for G2 (715001764).

715005111

• Must be used with Fender Flare for G2L (715001909).

G2L European

vehicles only

2015 & up

715004487

715003615



#### **RENEGADE**

#### **FENDER FLARES**

- Integrated extended Fender Flares for sporty look
- and full body protection from dirt and water.
- Include front and rear extensions and all mounting hardware

G2S (except X mr models) 705012695





#### Compatible with Intelligent Throttle Control (iTC).

G2, G2L, G2S (2020 models equipped with 850 engine and 2019 & up models with 1000R engine and T Category

715004815

715004747

 LED dimmer facilitates reading temperature settings.

(2) 4 temperature settings with individual controls for thumb and grips. Returns to previous heat setting.

3 One-touch shutdown.

upgrade takes the chill from cold. wet rides.

Heat, where vou want it.

This popular

Wiring Cable (710004567) is required for installation on G2 and G2L

#### **ENGINE HEATER**

(Not illustrated)

Outlander 500 / 570 / 650 / 800 (G1/G2) 605154278

Outlander 1000 (G2) 715002043

#### **TRAILER** CONNECTOR SOCKET KIT

(Not illustrated)

619400077

<u>G2</u> 860200927

#### **HEATED VISOR OUTLET**

- •Strategically positioned on vehicle to maintain your agility.
- Optional visor outlet that delivers fog-free riding.
- Quick and easy installation. Sold individually

· Heated Visor not included.

G2, G2L

715001246

#### **WIRING CABLE** (Not illustrated) · Required for installation of Heated Hand Grips & Throttle Combo. 710004567

#### **OUTLANDER**

#### **HEATED PASSENGER GRIPS & VISOR OUTLET**

- Replace your stock passenger handles.
- Dual temperature switch integrated into seat arm for 3-zone heated handles and grips.



· Heated visor outlet integrated into seat arm.

#### **OUTLANDER | RENEGADE**

#### **ELECTRONIC DEVICE HOLDER**

- Robust injected-polypropylene construction allows for the right fit and easy installation.
- Adjustable unit safely holds smartphones or small tablets with a length or width mesuring between 2.9" (7.5 cm) and 5.1" (13.0 cm) with or without protective case.
- Integrated storage (0.6 Gal / 2.1L).
- Guiding wire grooves to pass charging cable through the lid.
- Possibility of relocating 12V power outlet or installing USB outlet in storage compartment (USB power outlet sold separately). • Not compatible with windshields and Snorkel Kit.
- G2, G2L (except 6x6 & X mr models)

715004919



#### **BLUETOOTH HANDLEBAR SOUNDBAR BY MTX**

- Bluetooth speaker with the unbeatable convenience of fingertip control.
- Rugged IP66-rated weather-resistant speaker designed for outdoor use.
- Driven by 150 watts of quality audio power.
- Seamless integration and operation from Bluetooth enabled devices.
- Includes input, ground and ignition wires, plus auxiliary port and 3.5" (8.89 cm) connector cable.
- Not compatible with XT Handlebar Protector Kit.

Note: We recommend you use 320 Kbps MP3 - 192-256 Kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.

G2, G2L, G2S 219400840



#### **USB POWER OUTLET KIT**

- Recharges your electronic devices while riding\* (smartphone, MP3, heating gear, etc.).
- Dual port USB connectors.
- \*The power outlet is not capable of recharging all device types while riding.

G2, G2L, G2S 219400510



#### **MULTI POSITION LIGHT MOUNT KIT**

- Multi-position plastic clamps that fit on various tubing sizes: 0.75" to 1.5" (19 mm to 38 mm).
- Required for the installation of the 2" (5 cm) Square LED Lights (2 x 10W).
- Kit includes tube clamp mounts and power cables.

G2 (except X xc), G2L, G2S 715004274







#### **OUTLANDER**

#### **BAJA DESIGNS HIGH BEAM KIT**

- · Thanks to their direct bolt-on and plug-and-play installation right into the original high beam location, upgrading from your stock high beam lights to these powerful Baja Designs Squadron Pro LED Lights becomes child's play.
- · Each spot is equipped with 4 Cree LEDs producing 4 900 lumens at 40 watts
- Driving/Combo light pattern for smooth blend of light for both near field applications and distance. • Not EC compliant.

715004284





Plug-and-play lighting upgrade gives eye-opening

#### OUTLANDER | RENEGADE

#### 2" (5 CM) SQUARE LED LIGHTS (2 X 10 WATTS)

- •2 x 900 lumens 10W LED Cree light kit.
- Long-range illumination up to 350' (107
- m), drawing less than 1 amp per light. • Multi-Position Light Mount Kit is
- required for installation
- · Not EC compliant.

G2 (except X xc), G2L, G2S

715004293



#### **RAM¹ LED SPOTLIGHT**

- •540 lumens LED light (9 Watt) heavy-duty spotlight standard-equipped with 1" (2.5 cm) diameter rubber-coated
- double ball and socket system. · Not EC compliant.

G2, G2L, G2S 710005423



#### **AUXILIARY** WINDSHIELD LIGHTING

- •2 premium LED spots for Deluxe Fairing for both increased output and directional lighting.
- 1.800 lumens.
- •2 x 10W LED Cree light kit.
- Long-range illumination up to 350' (107 m), drawing less than 1 amp per light.

**Deluxe Fairing** 715003115



#### RENEGADE

#### **CENTER CONSOLE DAY LIGHT**

- · Mountable on top end of center console.
- Enhances look of vehicle.

G2S (except X mr) 715000691



#### OUTLANDER | RENEGADE

#### **BATTERY CHARGER/MAINTAINER**

- Fully automatic 3 amp battery charger / maintainer.
- · Keeps stored lead-acid batteries charged.
- · Charges and maintains small batteries.
- · Microprocessor controlled multi-stage charging for added precision, safety and battery life. Automatically detects 6 or 12 volt batteries.
- Float mode monitoring automatically maintains optimum battery charge.
- Reverse hook-up protection helps protect battery and charger from damage.
- Hook attachment hangs outside the work area for safety and convenience.
- Press the display button to show the charge progress.
- Energy efficient/eco friendly, meets the highest industry standards for energy efficiency.
- •Content: 3 amp battery charger, clamp adapter, DC adapter, 24" (61 cm) fused ring leads harness with weather cap, owner's manual. •US plug (110V).

715005061

**JUMP STARTER** 

• Built-in LED light (3 modes).

715005062

or any other storage compartment.

• Quickly starts vehicles in emergencies.

charging cable, travel bag, user manual.

• IPX3 water-resistant and enclosed output ports.

•2.4A + 1A/5V USB ports for fast charging of all USB

low voltage, high temperature and reverse charging.

devices, including smartphones, MP3 players and tablets.

•4 LED battery indicators for easy read on battery charge level.

• Compact design, will conveniently fit in your backpack, glove box

• Great for powersport vehicles, motorcycles and 4 and 6 cylinder vehicles.

• Smart cable provides protection against reverse polarity, short circuit,

• Content: 300CA jump starter, SA858 smart cable clamp, MC-USB to USB



#### **QUICK CONNECT BATTERY CABLE**

- Quickly and easily connect and charge different items with your charger.
- Included in the Battery Charger/ Maintainer (715005061)
- Sold individually.
- 715005408

#### New QUICK CONNECT **CABLE WITH BATTERY INDICATOR**

- · Quickly and easily connect and charge different batteries with your charger.
- 3-color LED indicator provides constant battery health indication.
  - · Sold individually.

715006055





#### **GARMIN' MONTANA' 680T GPS**

- Rugged and waterproof, the Montana 680T is element-proof.
- 4" (10.2 cm) dual-orientation, sunlight-readable touchscreen and glove-friendly touchscreen display, to give you vivid colors and high-resolution images.
- $\hbox{-} 8-megapixel autofocus camera automatically geotags photos.}\\$
- Tracks both GPS and GLONASS satellites for improved positioning
- and typically faster fixes.
- Preloaded TOPO maps, plus 1-year BirdsEye Satellite Imagery subscription. • 3-axis compass with barometric altimeter.
- Specific GPS cradle included (vehicle mounting kit required).
- Includes a preloaded map for US.

G2, G2L, G2S 715002830

**European Version** 

- EC compliant.
  - Includes preloaded European recreation maps.

715003456



#### CTEK BRP 5.0 **BATTERY CHARGER**

- CTEK, the manufacturer of the smartest battery chargers in the world, has produced a BRP specific charger for all BRP products.
- Charger is built to meet the
- demanding arctic conditions.
- · Ask your dealer for more information

860200997



#### **GPS RAM MOUNT FOR HANDLEBAR**

• Convenient bracket for installing the Garmin Montana GPS (not included) onto your unit's handlebar.

G2, G2L





#### **OUTLANDER | RENEGADE**

# WARN<sup>†</sup> VRX

- Extreme IP68-rated waterproof sealing keeps the elements out
- Durable all-metal construction.
- Black powder-coated finish and stainless steel fasteners for corrosion resistance.
- Robust new clutch design based on 70+ years of WARN 4WD hub lock know-how.
- · Load-holding brake for great control.
- Smooth and reliable all-metal three-stage planetary gear train.

- · Handlebar-mounted rocker control.
- · Limited lifetime warranty (mechanical), 3-year warranty (electrical).
- Winch mounting plate (715000927) is required for G2S.
- Winch wire harness (715002453) is required for G2L.

#### **WARN VRX 25**

- Pulling strength capability of 2,500 lb (1,134 kg).
- •50 ft. of 3/16" (15 m of 4.8 mm) wire steel cable.
- · Cast aluminum fairlead. G2, G2L, G2S

715006107



#### **WARN VRX 35**

- Pulling strength capability of 3,500 lb (1 588 kg).
- •50 ft. of 7/32" (15 m of 5.5 mm) wire steel cable.
- · Cast aluminum fairlead.

G2, G2L, G2S 715006108



#### **WARN VRX 35-S**

- Pulling strength capability of 3,500 lb (1 588 kg).
- •50 ft. of 3/16" (15 m of 4.8 mm) synthetic rope.
- Cast aluminum fairlead.

G2, G2L, G2S



#### **OUTLANDER**

# CAN-AM HD

- · Heavy-duty 4-way roller fairlead.
- Ergonomic clutch handle.
- Rugged all-steel gears and bushings provide more torque and longer life.
- · Automatic 100% load-holding brake.
- · Sealed solenoid for all-weather protection.

#### **CAN-AM HD 2500 WINCH**

• Pulling strength capability of 2,500 lb (1,134 kg). •50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable.

G2, G2L

715006414



- · Wired Remote Control sold separately.
- · Weather sealed handlebar mounted switch.
- Winch mounting plate (715000927) is required for G2S.
- Winch wire harness (715002453) is required for G2L
- EC compliant.

#### **CAN-AM HD 3500 WINCH**

G2. G2L 715006415



• Pulling strength capability of 3,500 lb (1,588 kg). •50 ft. of 7/32" (15.2 m of 5.5 mm) wire steel cable.



#### **OUTLANDER 6X6**

#### **REAR WINCH KIT**

- The remote-controlled rear winch is a godsend when you want to pull yourself out of a tough spot or move heavy loads
- Includes a fully-sealed Warn winch and all wiring and hardware needed for an easy and quick installation.
- Pulling strength capability of 3,000 lb (1,361 kg). •50 ft. of 7/32" (15.2 m of 5.5 mm) wire steel cable.
- G2 (6x6 models only)
- 715002484
- 715002067 Europe



#### with an integrated antenna and

all necessary mounting hardware. •The system allows you to operate

Warn winches

715002542



#### WINCH MOUNTING PLATE

· Adds functionality to your Renegade.

• Fits Can-Am winches by Warn.



#### WINCH ACCESSORIES KIT

• Get the most out of your winch.

• Double your pulling power, change your pulling direction and keep your winch in proper working order.

•Includes tree straps, snatch block, shackle and winching gloves.

715002409





#### **WIRELESS REMOTE CONTROL**

OUTLANDER | RENEGADE

**WARN HAWSE FAIRLEAD** 

· Double-powder-coated construction. • Required to use the Synthetic Winch

Cable (715004254) on Warn winches.

• To be used with synthetic winch

cables only.

715004255

Warn winches

- •The system is quick and easy to install, thanks to a wiring harness
- your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
- All components are weatherproof



#### WIRED REMOTE CONTROL

•This kit allows winch owners to add the hand-held remote to their winch.

• EC compliant.

For ATVs with handlebar winch remote socket 710002270

#### ATVs without the winch remote socket

 Side panel Remote Socket (715003651) is required. Can-Am HD winches

710007050

Can-Am WARN winches 715006378 New



#### **ROLLER FAIRLEAD**

• Features top, bottom and side rollers for less cable wear and smoother operation from any direction for easier winching.

715000011 • Warn winches 705204571 - Can-Am HD winch



#### **HOOK WITH SAFETY LATCH & STRAP KIT**

- · Heavy-duty winch-rope hook with
- stainless steel snap. · Includes a nylon safety strap

Can-Am HD winches 705014949



#### REPLACEMENT WIRE ROPE

- · Play it safe, always carry a replacement wire rope. -3,500 lb (1,588 kg) pulling strength.
- Can-Am HD 2500

705014983

•50 ft. of 3/16" (15.2 m of 4.8 mm) wire rope.

**ATV Warn winches** •50 ft. of 7/32" (15.2 m of 5.5 mm) wire rope.

705009321 ATV Warn winches •50 ft. (15.2 m) aircraft

grade steel wire.

•7/32" (5.5 mm) diameter 715006256



#### SYNTHETIC WINCH CABLE

• Easier to manipulate than steel cable.

• Replaces the original cable on any factory installed

Warn winch or sold as an accessory by BRP • Kit includes synthetic rope and rock

guard sleeve. · Always use with new

Hawse Fairlead (715004255)

• 50 ft. (15.2 m). •3,500 lb (1,588 kg) pulling strength

**ATV Warn winches** 715004254



#### **WARN REMOTE SOCKET**

(Not illustrated)

· Winch remote socket, located on side panel, is required for wired remote control.

715003651

#### **WINCH WIRE HARNESS**

(Not illustrated)

- Required plug-and-go wiring to install Warn winch only.
- Not required for Can-Am HD winches. G2L
- 715002453

#### HARDWARE ADAPTER KIT

(Not illustrated)

Required to install Warn Winch Kit (715006107, 715006108,

715006109) on 2016 and up models.

Required to install Can-Am HD 2500 Winch (715006414) and Can-Am HD 3500 Winch (715006415) on G2L 2017 and up models.

HITCHES 45



#### **MULTITRAILER**

- Bogie wheels updated to be more silent than before and now equipped with grease nipples.
- Product developed for heavy-duty use.
- 100% galvanized steel.
- Specifications: 12 mm polywood base, strong stand, movable attachment points (4 pc), tipping bed, removable sides and 4 pc timber holder.
- 619590024

- Underside of the bogie and frame designed to travel over stones and logs (no sharp edges).
- Bed length: 182 cm
- Bed width: 66 cm bottom / 95 cm top

#### TIMBER LOCKING SPRING

(Not illustrated) 619600007

#### TIMBER WALL (Not illustrated)

(Not illustrated) 619590026 619590025

619590398

- Bed height: 60 cm
- •Weight: 200 kg with timber holders and sides



## **OUTLANDER** | **RENEGADE**

#### • Standard on 2" (5 cm) receiver hitch.

- It offers 1,500 lb (680 kg) of towing capacity.
- Hitch ball not included.

#### G2, G2L, G2S 715000972

**European Version** 

• Drawbar with 2" (5 cm) hitch ball.

705208131 (T Homologated)



#### **RUBBER RECEIVER PLUG**

• Rubber cap for 2" (5 cm) hitch receiver. 705204503



#### **REAR HITCH**

- E-coat finish.
- Fixed hitch ball mounting bracket.
- Provides fixed mounting point for trailer ball to provide vehicle with towing capabilities.
- This hitch offers 1,500 lb (590 kg) of towing capacity.
- · Hitch ball not included.

G2, G2L, G2S (except 6x6 models) 715001925



#### **REAR RECEIVER HITCH**

- · E-coat finish.
- Does not affect ground clearance.
- Trailer ball not included.
- •On 4X4 use, this hitch offers 1,654 lb (680 kg) of towing capacity.
- •On 6X6 use, this hitch offers 1654 lb (750 kg) of towing capacity.
- · Compliant with European T regulations.
- · Not compatible with rear bumpers and G2L models.

G2S 2012 with 800R or 1000 engines, G2S 2013 & up, G2L & G2



#### **OUTLANDER**

#### FRONT RECEIVER HITCH

• Front receiver hitch for Outlander

ADD TOWING CAPACITY
FOR ALL YOUR
UTILITY HARD WORK

- with or without a winch.
- •This hitch offers 1,500 lb (590 kg) of towing capacity.
- · Allows you to maneuver your trailer easily in tight,
- confined areas.
- · Hitch bar sold separately.
- Not compatible with Extreme Front Bumper, Rancher Bumper and ProMount Plows.



#### **OUTLANDER**

#### **OUTLANDER RADIATOR RELOCATOR KIT**

- Relocates radiator to top mount position.
- Prevents cooling performance loss in muddy conditions.
- Uses existing radiator.
- Includes support, hardware and hoses.
- Engineered for easy cooling system bleeding and maintenance.
- Radiator not included.

G2, G2L







#### **OUTLANDER SNORKEL KIT**

- · Comprehensive kit.
- Extended air intakes and CVT exhaust.
- CVT outlet integrates into pod cover.
- Must be installed on a vehicle without XT Handlebar Protector Kit. • Ideal for muddy conditions.
- For 6x6, appropriate gauge support is required for best fit and finish. Not compatible with windshields.
- G2 2015 & up, G2L (except X mr)
- G2 (2012-2014 only)
- G2 (X mr models only), G2L (X mr models only)







Factory-design fit-and-finish for oustanding deep mud and water fording performance.

#### SELF-CLEARING FOOTWELLS

- Made from aluminum.
- Replace original footwells.
- Feature large evacuation ports to avoid mud and snow accumulation in footwells.
- Aggressive design for improved traction.
- Not compatible with Body Side Protectors.
- Sold in pairs.

G2 2015 & up, G2L 715004759



Aids in rider traction and clears heavy mud and snow debris with ease.

#### **X MR TRACTION PLATES**

- Provide extra foot grip for driver when riding in extreme mud conditions.
- $\hbox{\bf \cdot} \ \mbox{Help driver maintain ideal riding position to maximize vehicle traction}.$
- · Made of aluminum.
- · Not meant for a passenger.

G2, G2L (MAX models only) 715001752





#### **FOOTPEG KIT**

- Provides maximum integrated grip and more stability during vigorous riding.
- · Kick-up end generates added grip
- during hard cornering. · Made of aluminum.
- Sold in pairs G2, G2L

715001131



#### · Comprehensive kit.

RENEGADE

- Extended air intakes and CVT exhaust. • CVT outlet integrates into pod cover.

RENEGADE SNORKEL KIT

· Ideal for muddy conditions.



#### **ADAPTER KIT**

#### (Not illustrated)

- Necessary to install the G2S Snorkel Kit
- (715001928) on 2012 to 2014 models.

G2S (for 2012-2014 models only) 715003122

#### RENEGADE RADIATOR RELOCATOR KIT

- Relocates radiator to top mount position.
- Prevents cooling performance loss in muddy conditions.
- Uses existing radiator.
- Includes support, hardware and hoses.
- Engineered for easy cooling system bleeding and maintenance.
- Radiator not included.
- Renegade Extreme Front Bumper (715002469) required for installation (except X mr).

G2S 715001929



#### **OUTLANDER | RENEGADE**

#### **MUD STRAP**

- Convenient sturdy grab-handle.
- Lets drivers redistribute their weight for improved traction in demanding conditions
- Not compatible with XT Handelbar Protector Kit (703100352).

G2, G2L, G2S 715003053



#### RADIATOR PROTECTOR

• Metal shield that mounts over radiator face, providing protection from stones and branches.

G2, G2S (except G2S with 500 engine) 715001744







#### **FRONT SHOCK COVERS**

• Feature ventilation holes.

• Offer added protection in rough terrain and weather conditions. ·Sold in pairs.

G2, G2L, G2S 715500301



#### **HEAVY-DUTY SPRINGS**

- Heavy-duty springs provide enhanced stiffness. • Perfect for snow clearing and hauling heavy loads.
- Improves handling and helps prevent accidental overturns.
- · Sold in pairs.
- Standard on Outlander Pro and Mossy Oak models.

Front

G2 2012-2018 (Base model, DPS, XT, X mr with 650 engine only & Limited), G2S (Base model with 500 & 570 engines only)

715003199

G2 2012-2018 (Base model, DPS, XT & X mr with 650 engine only), G2S (Base model with 500 & 570 engines only)

715003200

Front & Rear G2 2019 (Base, DPS & XT models) 715005159

G2L

715007203 New



#### **EXTREME HEAVY DUTY REAR SPRING SET FOR OUTLANDER G2**

(Not illustrated)

• E.g. for use with Forest Pro Log Trailer.

715001998

#### FOAM AIR FILTER BY TWINAIR<sup>†</sup>

• Maximizes performance by increasing air flow throughout RPM range. • Maintenance-friendly, i.e. just wash, re-oil and re-use after riding in

G2, G2S, G2L 715001333



#### **EMERGENCY KIT**

- Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts can find
- Includes: Jumper Cables, Air Compressor, Tire Repair Kit, Ratchet Tie-Down, Duct Tape, Tow Strap 3,300 lb (1,500 kg), Zip-Ties, Cloth Rags.





# **YOSHIMURA** SLIP-ON **EXHAUST**

- Made from 304-grade stainless steel.
- Better sounding, better looking and lighter than stock muffler.
- · USDF/USDA approved spark arrester.
- NON EPA compliant (for racing application only).
- Not EC compliant.
- Fuel injection system tuning not required.
- Not compatible with CARB & T Category models 2018 and up.

#### **OUTLANDER**

Not sold in Europe

G2 2018 & prior (except 6x6 models) 715001738

G2 2019 & up (except 6x6 models) 715005480





slip-on Yoshimura exhaust roars like no other

#### RENEGADE

G2S 2018 & prior (except 570 engine and X mr models) 715001739

G2S 2019 & up (except 570 engine and X mr models) 715005481



Sound, engineering, and style: This exclusive

#### **FOX SHOCKS** Engineered for the more agressive riders.

- Offer increased bump absorption and better roll control.
- · Offer a slightly firmer ride than standard kits but remain very versatile for all-around use
- Kit includes 4 shocks and springs.
- Rebuildable. Threaded preload
- adiusters. G2 2012-2018 (except

X mr, XT-P, Limited & 6x6 models), G2 X mr 650 (2012-2018), G2S (Base model with 500 & 570 only), G2L & G2L MAX 715001471

G2, G2S 2019 & up 715005469



#### FOX PERFORMANCE **SHOCKS 1.5** PODIUM X RC2 HPG

- · High-performance front and rear shocks.
- · Allow handling to readily adapt to terrain and riding style.
- Easy-adjust dual-speed compression, rebound and preload settings. · Standard on G2S X xc.

G2 2012-2018 (except X mr, Limited & 6x6), G2 X mr 650 & G2S (Base model & X mr 570 only) 715003201

G2 2019 & up 715005470



# COVERS, DECALS & ADD-ONS

#### **OUTLANDER | RENEGADE**

#### TRAILERING COVERS

- · Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Protect windshield and colored panels from abrasion
- All high-abrasion areas are reinforced with a double canvas layer.
- Opening for fuel cap access.
- Weather-resistant trailering cover protects your vehicle during transportation. Quick and easy installation
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

G2 (except MAX models) 715001737

G2 (MAX models only) 715001736

G2 (6x6 models only) 715004488

G2L (except MAX models) 715002026

G2L (MAX models only)

G2S (except X mr models)

G2, G2L, G2 Xmr (except 1000), G2L Xmr, G2S, G2S Xmr 715001720

construction.

STORAGE COVERS

· For vehicle storage only.

· Quick and easy installation

without Can-Am accessories.

Weather-resistant storage covers.

UV-resistant solution-dyed polyeste

• Designed to perfectly fit your vehicle with or

G2 MAX, G2Xmr

1000, G2L MAX

Oak Break-Up

**Country Camo** 

715001735 · Mossy

G2, G2L (MAX models only)

715001668 G2, G2L (except MAX models)

715001597 • Mossy Oak Break-Up Country Camo



#### **LOCKABLE GAS TANK CAP**

· Protects your fuel.

· Meets EPA requirements. G2, G2L, G2S

860200387

619590085 - Scandinavia



#### LICENSE PLATE BRACKET

- Provides specific area to install license plate.
- · Mounts to rear of vehicle

715002498

#### **DECAL**

•6" x 12 3/4" (15 cm x 32 cm). 704901483



#### **BOLT-ON' RETRACTABLE RATCHETING TIE-DOWNS**

- Perfect for transporting your powersport vehicle or securing loads.
- Mounts easily: Bolts on any flat surface (e.g. truck bed or frame).
- 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength
- · Convenient retractable push button automatically slackens, spools and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place.
- · Rubber ratcheting handle provides firm grip, and the hook is vinyl coated to protect whatever surface it hooks into
- · Sold in pairs.

295100737



#### **RATCHET TIE-DOWNS**

- •400 lb (181 kg) safe working load.
- •1" x 10' (2.5 cm x 3 m) strap with Can-Am, Sea-Doo, and Ski-Doo logos.
- Deluxe ratchet with rubber handle.
- Coated S hooks.
- · Pack of 2.

860200447 · Black/Grey



#### **FLAG**

- · Make sure everyone knows what you're riding.
- · Perfect for the dunes and new riders.
- -8-foot (2.4 m) length. Includes flag mount (715000127).

715000277 • Yellow





can-am

(Not illustrated)

- 100-denier polyester construction
- Fits with or without windshield and mirrors.

G2 (6x6 models

715002492

715004488

#### **STORAGE COVER (6X6)**

- For storage use only.
- · Heavy-duty elastic cord around bottom for secure fit.

G2L 6X6 715005261

715002415 • Europe **G2 MAX 6X6** 

G2L MAX 6X6 715006024

# APACHE TRACK SYSTEMS Each track has a specific purpose and is designed without compromise for work and play. Whether it's for deep snow riding, trail riding or for heavy loads, Apache tracks are akin to floating across the terrain.

# **WINTER TRACKS**



# YEAR ROUND TRACKS

MIXED CONDITIONS

# **APACHE BACKCOUNTRY**

Finally explore winter with no traction limitations and no compromise, thanks to the unmatched performance of Apache Backcountry track kits. Engineered to thrive in the deepest snow—for work or play. Don't let winter stand in the way. P.52

# **APACHE** 360, 360 LT

These track kits improve your vehicle's ground clearance and increase its contact patch with the terrain. Adapt your track setup to the conditions you'll be riding in and the purpose of your ride, with the Apache 360 and 360 LT systems: as our all-season, all-terrain masterpieces.


P.53-54

# WINTER TRACKS

TRACK SYSTEMS

#### GET THE MOST OUT OF YOUR **CAN-AM ATV THIS WINTER** FOR ALL YOUR ENDEAVORS.

COVERED BY A **1-YEAR** WARRANTY



#### **OUTLANDER | RENEGADE**

#### **APACHE BACKCOUNTRY**



#### **APACHE BACKCOUNTRY** TRACK SYSTEM

- Designed to deliver the best flotation level and deep-snow performance on the market.
- · Contact patch is 23% bigger than the
- Apache 360 LT.
- Impressive added ground clearance of 7" (18 cm), keeps the vehicle out of deep snow.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- Apache Backcountry Mounting Kit and engine and CVT air intake pre-filters are
- · For winter use only.

G2 (except 6x6 models), G2S, G2L 715003042

#### **IDLER WHEEL KIT**

- Reduces drag and rolling resistance.
- Includes 2 wheels, brackets and hardware
- Add up to 2 kits per rear track.
- Can extend slider life in hardened snow conditions

**Apache Backcountry Track System** (rear tracks only) 860201230 • 141 mm



#### **SLIDERS WITH VESPEL<sup>†</sup> INSERTS**

- Use DuPont Vespel inserts
- for less friction.

Longer life.

- · Can be cut to desired length.
- 8 needed per vehicle.
- · Sold individually.

**Apache Backcountry Track System** 



#### **RAIL ICE SCRATCHERS**

- · Provide additional lubrication in hard and icy conditions.
- · Rail mounted, small, light,
- Design expands on coil concept
- to allow reversing without damage. · Easily stored when not in use.
- **Apache Backcountry Track System**



#### OUTLANDER | RENEGADE

#### **APACHE 360 & 360 LT**

YEAR ROUND TRACKS

**WORK & PLAY YEAR ROUND** 

& ALL TYPES OF TERRAIN.

Rise above terrain, weather, and whole seasons

track kits — the upgrade that takes the Can-Am

experience to another level. Designed for superior

traction and carrying heavier loads in soft terrain,


they can be used with your ATV year round for

exploring and completing tough tasks.

COVERED BY A **2-YEAR** WARRANTY

with the Apache 360, 360 LT and 360 LT 6x6

THROUGH MUD, SNOW,



**UNIQUE ADJUSTABLE CONTACT PATCH SYSTEM** TO TACKLE THE TOUGHEST YEAR-ROUND CONDITIONS



RUBBER OVER MOLDED HEAVY-DUTY DOUBLE **BEARING WHEELS AND OFFSET WHEEL** SPACING REDUCE FRICTION AND VIBRATION WHILE ENSURING RELIABILITY

**GROUND SURFACE AREA IS 7 TO 9%** LARGER THAN THE APACHE 360's

Track Systems

#### **APACHE 360 TRACK SYSTEM**

- Multifunctional tracks perfect for any Can-Am ATV.
- · Average ground clearance of 16" (41 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back. Apache 360 & 360 LT Mounting Kit and engine and CVT air intake pre-filters are required.

G2 (except 6x6 models), G2L, G2S 715005240

#### **APACHE 360 LT TRACK SYSTEM**

- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am off-road vehicles.
- Front wheel height adjustment provides enhanced attack
- angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
- Average ground clearance increase of 4.5" (11.4 cm). •1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- G2, G2S, G2L


- Apache 360 LT Mounting Kit, Track DPS Module and Engine & CVT Pre-Filter Kit are required.
- Reliable heavy-duty build.
- EC compliant.
- Contact patch is 7 to 9% bigger than the Apache 360's.
- Apache 360 & 360 LT Mounting Kit, Track DPS Module and engine and CVT air intake pre-filters are required.





**OUTLANDER 6X6** 

#### **APACHE 360 LT 6X6**



UNIQUE ADJUSTABLE **CONTACT PATCH SYSTEM** TO TACKLE THE TOUGHEST YEAR-ROUND CONDITIONS



RUBBER OVER MOLDED HEAVY-DUTY DOUBLE **BEARING WHEELS AND OFFSET WHEEL SPACING REDUCE FRICTION AND VIBRATION** WHILE ENSURING RELIABILITY

#### **APACHE 360 LT (6X6) TRACK SYSTEM**

- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am off-road vehicles.
- Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
- G2, G2L (6x6 only)

715005104

- Average ground clearance increase of 4.5" (11.4 cm).
- •1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back. Apache 360 LT Mounting Kit, Track DPS Module and Engine & CVT Pre-Filter Kit are required.
- · Reliable heavy-duty build.

- Exclusively for the Outlander 6x6.
- Recommended for use on snow only.

Track Kit	Vehicle	Mounting Kit	DPS Module* 2020 & prior	Pre-Filter		
APACHE BACKCOUNTRY 715003042	G2, G2S 2018 & prior & G2L	715004830	715005243			
7100000 12	G2, G2S 2019 & up	715004796	Models with Intelligent Throttle Control (iTC™): 715004707  Everything else: 715005243			
<b>APACHE 360</b> 715005240	G2, G2S 2018 & prior & G2L	715004829	715005243	Air Intake Pre-Filter		
	G2, G2S 2019 & up	715004795 Models with Intelligent Throttle Control (iTC™): 715004  Everything else: 715005243		715004729 + CVT Air Intake		
<b>APACHE 360 LT</b> 715005103	G2, G2S 2018 & prior & G2L	715004829 + 715003063 (adaptor)	715005243	Pre-Filter 715003483 Standard on G2 models and G2L PRO model		
	G2, G2S 2019 & up	715004795 + 715003063 (adaptor)	Models with Intelligent Throttle Control (iTC™): 715004707  Everything else: 715005243			
<b>APACHE 360 LT 6X6</b> 715005104	G2 2018 & prior, G2L (6x6 models)	715004991	Models with Intelligent Throttle Control (iTC™): 715004707			
	G2 6x6 models 2019 & up	715005105	<u>Everything else:</u> 715005243			
Not sold in Europe	·					

(Not illustrated)

Not sold in Europe.

715005243

Models without Intelligent

Throttle Control (iTC™) 2020 & prior

#### APACHE BACKCOUNTRY MOUNTING KIT

**ATV TRACK SYSTEM FITTING GUIDE** 

• Required for installation of the Apache Backcountry Track System.

• DPS module and pre-filter are required and sold separately.

G2 2018 & prior, G2S 2018 & prior, G2L G2 2019, G2S 2019 715004830 715004796

#### **APACHE 360 & 360 LT MOUNTING KIT**

• Required to install Apache 360 & 360 LT Track Systems.

• Requires Apache 360 LT ATV Adapter (715003063) for installation

G2 2018 & prior (except 6x6 models),

**APACHE 360 LT ADAPTOR** 

• Required to install an Apache 360 LT Track System.

• Apache 360 and 360 LT Mounting Kit also required.

G2S 2018 & prior, G2L

G2S 2019 & up

715004795

#### (Not illustrated)

of the Apache 360 LT Track System.

• DPS module and pre-filter not included

G2 2018 & prior, G2L (6x6 models 715004991

G2 2019 & up (except 6x6 models), G2 (6x6 models 2019 & up) 715005105

715003063

which make for perfect track control and riding ease. • Required to install the Apache Track Systems

• An innovative DPS module that ensures speedometer accuracy and optimized steering assist,

Models with Intelligent

715004707

Throttle Control (iTC) 2020 & prior

**ENGINE AIR INTAKE PRE-FILTER** • Adds extra protection to your engine in harsh riding conditions.

• Filter blocks particles larger than 0.005" (0.13 mm).

• Necessary to maintain vehicle warranty when tracks are installed.

G2, G2L, G2S 715004729



#### **CVT AIR INTAKE PRE-FILTER**

TRACK DPS MODULE

- Adds extra protection to your engine in harsh riding conditions.
- Filter blocks particles larger than 0.007" (0.19 mm).
- · Easy, tool-less installation.
- Necessary to maintain vehicle warranty when tracks are installed.
- Required to install the Apache and Backcountry Track Systems
- Standard on Outlander 650, 850, 1000, 1000R engines and G2L PRO.

715003483




#### **SELF-CLEARING FOOTWELLS**

· Made from aluminum.

G2 (except 6x6 models), G2S, G2L

- · Replace original footwells.
- Feature large evacuation ports to avoid mud and snow accumulation in footwells

G2 2015 & up, G2L 715004759



Body Side Protectors.

Sold in pairs





Aids in rider traction and clears heavy mud and snow debris with ease.



PROMOUNT RELIABILITY The new ProMount lineup was created for both professional operators and enthusiasts looking to take their tool kit to the next level. Designed to work as efficiently as possible, Can-Am reimagined the plow from mount to blade.

MOST EFFICIENT MOUNTING **SYSTEM** 

Underbelly mounting plate provides the optimal angle of attack for best push strength.

The forward mounted push frame provides industry leading lift height.

Low profile mounting plate has little impact on ground clearance and can be left installed year round.

#### WINTER PRO V2

- With the Winter Pro snowblower, winter house chores become fast and easy. • Winter Pro is designed and built for Scandinavian conditions, and it boasts several innovative features that will make your life easier.
- The Easy Connect Pro link system makes attaching your ATV onto the snowblower child's play. All you need is a trailer hitch on your ATV.
- The electric starter, joystick to steer the chute, dual stage auger, and work light (sold as a separate accessory) elevate this snowblower to a professional grade winter-time tool.
- The scraper bar height is easily adjustable with the help of the skid shoes.
- · Also, the bar is fastened onto a boxed steel construction, thus adding to the snowblower's overall rigidity.
- The 24hp Honda V2 engine is engineered and crafted to withstand the toughest Nordic conditions.

#### 619590291



#### WINTER PRO **WIDENING KIT**

**FLEXEL TYRE** 

**UNBREAKABLE** 

WITH RIM -

(Not illustrated)

619590192

(Not illustrated) 619590127

**WINTER PRO** 

(Not illustrated)

619590126

**GAS TANK KIT** 

**SHEAR BOLTS** (Not illustrated) •(1 pack/10 pcs)

619590603 · For auger 619590148 · For fan

#### **EXTENSION** (Not illustrated)

WINTER PRO

**SUBFRAME** 

619590128

#### WINTER PRO OIL **FILTER**

(Not illustrated) · For Honda motors. 619590335

Attachable in FOUR EASY STEPS, the Can-Am ProMount plow system is the fastest, easiest way to start plowing and get the job done—minimal effort for maximum result.

**CONNECTS WITH A CLICK** 



Drive straight toward the plow.



Attach the winch cable to the plow using a guiding hook/roller.



Lift the plow until it clips onto the mounting plate.



Remove the winch cable from the guide. You're ready to plow.

#### **OUTLANDER | RENEGADE**

## **CAN-AM PROMOUNT**

STEEL PLOWS

Consult your dealer for the best plow width. Made from 12-gauge steel and designed for efficient plowing, the ProMount steel blades are offered in multiple sizes to fit jobs large or small.

#### CAN-AM PROMOUNT STEEL PLOW KITS

These kits include:

- · Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Plate

54" (137 CM) BLADE G2, G2L, G2S 715005200 • Black 715005428 • Yellow

60" (152 CM) BLADE G2, G2L, G2S 715005201 • Black

715005434 • Yellow

66" (168 CM) BLADE

G2, G2L, G2S 715005427 • Black

715005435 • Yellow

#### CAN-AM PROMOUNT STEEL BLADES

- · Blades available individually
- to create your own kit. Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility (some plow

accessories are not compatible with 54" (137 cm) plows).

#### 54" (137 CM) BLADE

- Not compatible with ProMount Drift Cutters, Blade Extensions and Edge Markers.
- •Clears 50" (127 cm) when plow is fully angled.
- Blade height of 14.75" (37 cm).
- Fits ProMount Push Frame 715004472 • Black

#### 60" (152 CM) BLADE

- ·Clears 54" (137 cm) when plow
- Blade height of 17" (43 cm).

- is fully angled.
- Fits ProMount Push Frame
- 715004202 · Black

#### 715005317 • Yellow

54" (137 cm)

- · Clears 60" (152 cm) when plow is fully angled.
  - Blade height of 17" (43 cm).

60" (152 cm)

66" (168 CM) BLADE

- Fits ProMount Push Frame
  - 715006337 Black 715006338 • Yellow


#### 72" (183 CM) BLADE

66" (168 cm)

- ·Clears 66" (168 cm) when plow is fully angled.
- ·Blade height of 17" (43 cm).

#### Fits ProMount Push Frame

715004474 - Black 715006021 • Yellow



#### **OUTLANDER | RENEGADE**

## **CAN-AM PROMOUNT**

FLEX2 PLOWS

HMWPE (High Molecular Weight Polyethylene) technology gives Flex2 greater reliability, resistance to impact, and immunity to rust or deformation. Tough on jobs but flexible in the face of obstacles, the Flex2 blade simplifies work.

#### CAN-AM PROMOUNT FLEX2 PLOW KIT

#### This kit includes:

- · Can-Am ProMount Flex2 Blade
- · Push Frame with
- Quick-Attach System
- Mounting Plate

#### 60" (152 CM) BLADE

G2, G2L, G2S

715005202 • Black



#### CAN-AM PROMOUNT FLEX2 BLADES

- · Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to

#### 60" (152 CM) BLADE

- ·Clears 54" (137 cm) when plow is fully angled.
- Fits ProMount Push Frame 715004203 • Black

#### plow is fully angled.

Fits ProMount Push Frame 715004485 Black

72" (183 CM) BLADE

· Clears 66" (168 cm) when



**Plows** 

#### **OUTLANDER | RENEGADE**

# **CAN-AM PROMOUNT ANGLE PLOWS**

Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.

#### CAN-AM PROMOUNT STEEL ONEWAY STATE BLADES

- · Wing end of plow measures 25" (64 cm) high and tapers down to 17" (43 cm).
- designed to throw snow higher.
- Rubber flap designed to keep snow away from the driver.
- · Can-Am branded.
- · One-way "winged" state plow

New 60" (152 CM) BLADE Fits ProMount Push Frame

New 66" [168 CM] BLADE Fits ProMount Push Frame 715007261 - Black 715007263 • Black

New 72" [183 CM] BLADE Fits ProMount Push Frame 715007264 · Black

72" (183 cm) 66" (168 cm)





60" (152 cm)

by choosing any plow type/ length that you'd like for your push frame. ProMount Push Frames are compatible with all the blades.

Get a custom solution that truly fits the task at hand—with quality components and no cut corners. The ProMount push frame, mounting plate and blades are a universal system that can be adapted to your specific Can-Am and jobsite.

#### **OUTLANDER | RENEGADE**

#### CAN-AM PROMOUNT PUSH FRAME WITH OUICK-ATTACH SYSTEM

- · Heavy-duty steel tubes designed to withstand the roughest use.
- Mid-mount carriage provides ultimate push strength and traction.
- Designed for maximum plow lift height.
- Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle adjustment.
- Plow Roller Fairlead and Plow Limit Switch recommended to extend winch cable lifespan.
- · Can-Am ProMount Mounting Plate required for installation
- · Blade swivels left or right, 5 positions.
- · Large pin designed for easy blade rotation to eliminate dirt and snow buildup at pivot point.

compromising ground clearance.

G2, G2L, G2S

715004339



YOUR CHOICE

#### **CAN-AM PROMOUNT MOUNTING PLATE**

- Required to install the Can-Am ProMount Push Frame with Quick-Attach System. · Mounting plate precision-designed to stay on year round without
- Fits on ATVs, Maverick Trail or Maverick Sport with or without Can-Am Skid Plates

#### G2, G2L, G2S

715004338



#### **CAN-AM PROMOUNT PUSH FRAME EXTENSION**

• 12" (30 cm) push frame extension.

G2, G2L, G2S 715004204



#### OUTLANDER | RENEGADE

# CAN-AM PROMOUNT PLOW ACCESSORIES

#### **CAN-AM PROMOUNT EDGE MARKERS**

- · Help locate the edges of your plow.
- · Height: 24" (60 cm).
- ·Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without
- Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

715004206

#### **CAN-AM PROMOUNT DRIFT CUTTERS**

- · Help keep snow in the plow.
- Dimensions: 17" x 13" (43.2 cm x 33 cm).
- Compatible with Can-Am ProMount Steel and Flex2 Blades with
- or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

G2, G2L, G2S 715004207

#### **CAN-AM PROMOUNT PLASTIC WEAR BLADE**

•To help prevent scratches on smooth driveways and markable surfaces

G2, G2L, G2S

54" (137 cm) 715004480

60" (152 cm) 715004481

66" (168 cm) 715004482

72" (183 cm) 715004483

#### **CAN-AM PROMOUNT BLADE EXTENSIONS**

- · Add 3" (8 cm) each side.
- Compatible with Can-Am ProMount Blades
- (except for Can-Am ProMount Steel 54" (137 cm) Blade).
- · Longer Wear Blade can be installed to further extend the extra length
- already provided by the extensions.
- Compatible with Can-Am ProMount Steel and Flex2 Blades
- (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

#### G2, G2L, G2S

715004205 · Black 715005319 • Yellow

#### PLOW ROLLER FAIRLEAD

- · Larger diameter lower roller reduces wear on wire rope for plow application.
- · Can be used with all ProMount plows

G2, G2L, G2S 705009222



#### **PULLEY KIT**

- · Pulley kit to be used in conjunction
- with the winch when using a snow plow · Recommended to increase
- winch efficiency.
- To be used with the XT Front Bumpe
- 715000279



#### SYNTHETIC WINCH **CABLE FOR PLOWING**

- Specially designed for plowing applications.
- •8' (2.4 m) section of durable, extra-strong synthetic rope.
- ·Stands up to repeated, sharp angle pulls used to lift heavy plow blades. Temporarily replace your winch
- rope for plow season to save wear and tear on wire rope.

715000540



#### PLOW LIMIT SWITCH

(Not illustrated)

· For controlling the cable tension when over raising vour plow system.

 Prevents winch plow push fram and vehicle damage

G2, G2L, G2S 715004775

#### **REAR TIRE CHAINS**

• Improve your traction in mud and snow. · Sold in pairs.

26" x 10" x 12" 715500218

> 25" x 10" x 12" 27" x 9" x 14" 715000225



Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.

#### **ITP TERRACROSS TIRE**

- •This smooth-riding tire will command every bit of traction from the ground while still managing to float across loose snow, sand and mud.
- Features extreme-duty construction for improved puncture protection, extra-tough rubber compound for increased tread life, and the interlocking tread pattern and wide footprint make it one of the toughest and grippiest radials around.
- Not EC compliant.

G2 XTP, G2 Limited Front • 26" x 8" x 14" 705401906

Rear • 26" x 10" x 14" 705502421



- Graduated lug height and paddle-like shoulder configuration provide maximum side bite for climbing in and out of the mud without compromising ride comfort on trails and hard pack.
- 6-ply rated. -30" x 9" x 14".
- G2 X mr 850 & 1000R 2018 & up, G2S X mr 1000R 2018 & up

705402178



#### **ZILLA TIRE BY MAXXIS\***

MEETS LOOSE MUD

**GROUND-GRIPPING TRACTION** 

MANEUVERABILITY. THE TOUG

TIRE WITH THE SMOOTH RIDE

· Sold individually.

**Front** 27" x 10" x 14" 705401302

27" x 12" x 14" 705501703



#### **ITP MEGA MAYHEM**

- 1.5" tread depth mud thrower tires. • Surprisingly smooth ride on hard pack surfaces. • 6-ply rated.
- G2 X mr 570 & 650 2018 & up, G2S X mr 570 2018 & up

Front 28" x 9" x 12'

705402131

28" x 11" x 12"

705502645



#### **MAXXIS MUDZILLA TIRE**

- Not EC compliant.
- G2 (X mr 570 & 650 models only) Front
- 28" x 8" x 12" 705401391
- 28" x 10" x 12" 705501836



#### **GORILLA SILVERBACK TIRE**

- AT30X9-14 Gorilla Silverback mud tire.
- · Sold individually.
- Not EC compliant.

G2 (850 & 1000 models only) 30" x 9" x 14"

705400962





#### \*Consult your operator's guide/owner's manual for proper tire type and rim sizing. Improper tire type and rim selection may affect vehicle handling. Check with your local authorities for proper regulation. Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.

#### ITP HOLESHOT ATR TIRE

Front 205/80R12

25" x 8" x 12"

705400600 705400475 ⋅ C€

Rear 270/60R12 25" x 10" x 12" 705500926

705500820 ⋅ 🤆



#### **CARLISLE BADLANDS** A/R TIRE

G2 (500-1000 Base models only)

**Front** 26" x 8" x 12" 705401331

705401332 ⋅ 🤆

26" x 10" x 12"

705501767 705501768 ⋅ 🤇 🤄



Tires

#### ITP HOLESHOT **GNCC TIRE**

DS 450 X xc Front - 21" x 7" x 10" 705400650

Rear - 20" x 10" x 9" 705500989



#### **CARLISLE TRAIL WOLF TIRE**

G2 (400 Base models only)

**Front** 25" x 8" x 12" 705401625 705400607 ⋅ 🤇 €

25" x 11" x 12" 705502164

705502165 ⋅ 🤆



#### **ITP HOLESHOT** SR TIRE

Front - 21" x 7" x 10" 705400432

Rear - 20" x 10" x 9" 705500787



#### **ITP OUADCROSS** MX PRO TIRE

DS 450 X mx Front - 20" x 6" x 10" 705400765

Rear - 18" x 10" x 8" 705501106



#### **KENDA KLAW MXR TIRE**

DS 90 X Front - 20" x 6" x 10" V42711DGF01HLL

Rear - 18" x 10.5" x 8" V42712DGF01HLL



#### **CARLISLE ACT TIRE**

G2 (500-1000 XT models only)

26" x 8" x 12" 26" x 10" x 12" 705401333 705401334 ⋅ 🤇 🤄

705501769 705501770 ⋅ 🤆

Front 25" x 8" x 12" 25" x 11" x 12"

705400606 705500933 705400326 ⋅ 🤇 🤄 705500598 ⋅ 🤆

G2 (400 XT models only)

#### **CARLISLE ACT HD TIRE**

26" x 8" x 12" 705401736

26" x 10" x 12" 705502297



#### **MONSTER TIRES**

• Deestone Swamp Witch Tyre Rims sold separately.

27" 28" Front Front 619590209 619590033



#### 14" RIM

- Premium cast aluminum black painted with machining and clear coat rim.
- Center hole: 72 mm.
- Bolt circle pattern: 4/136 mm.

#### G2 DPS, G2 XT, G2 MAX 650, G2 MAX XT, G2 MAX Limited

Rear - 14" x 8.5" offset = 50 mm Front - 14" x 6.5" offset = 40 mm 705401853 - Black and machined 705502402 - Black and machined 705401852 • Black with clear coat 705502401 • Black with clear coat 705502400 · Silver with clear coat 705401851 - Silver with clear coat



NOTE: Matching Nuts - 250100100 Black, 250100082 Chrome / Matching Cap - 705400928

#### 14" RIM

G2 DPS, G2 XT, G2 MAX Limited, G2 North Edition, G2 MAX North Edition Front - 14" x 6.5" offset = 40 mm Rear - 14" x 8.5" offset = 50 mm

705402309 • Black and machined 705502770 · Black and machined

705402222 • Black with clear coat 705502702 • Back with clear coat 705402307 • Silver with clear coat 705502768 • Silver with clear coat







#### **DUTLANDER X MR** AND DEFENDER RIM

· Cast aluminum rim with trend setting explosive styling so you can ride and look - like a trailblazer.

X mr models front and rear wheels Front

14" x 6.5" offset = 10 mm

705401848 • Black and machined

705401849 · Black



#### **OUTLANDER RIM** (CAMO MODEL)

· Black with clear coat aluminum rim. G2, G2L, G2S

Front - 12" x 6" offset = 41 mm 705401127 • Black with clear coat Rear - 12" x 7.5" offset = 51 mm 705501493 • Black with clear coat



#### NOTE:

Matching Nuts - 250100100 Black, 250100082 Chrome / Matching Cap - 705401541

#### 12" BEADLOCK RIM

- · Black with clear coat aluminum rim.
- Needs 16 bolts (250000435) for installing the beadlock.
- · Choice of beadlock color (not included).

#### G2, G2L, G2S

Front - 12" x 6" offset = 41 mm 705401678 • Black

Rear - 12" x 7.5" offset = 51 mm 705502244 • Black

#### 14" BEADLOCK RIM

- Black with clear coat aluminum rim.
- · Choice of beadlock color (not included).
- Needs 16 bolts (250000435) for installing the beadlock.

Front - 14" x 6.5" offset = 41 mm 705401594

Rear- 14" x 8" offset = 51 mm 705502146

#### 12" BEADLOCK

- · Cast aluminum beadlock.
- Must be installed on Front Rim (705401678) and Rear Rim (705502244).

#### G2, G2L, G2S

- 705401763 Can-Am Red
- 705401156 Yellow
- 705401533 Orange Crush
- 705401812 Manta Green


Matching Cap 705400928



#### 14" BEADLOCK

- · Cast aluminum beadlock.
- Must be installed on Front Rim (705401594) and Rear Rim (705502146).
- 705401586 Manta Green 705401702 • Octane Blue
- 705401837 Can-Am Red
- 705401840 · Black





Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.





Rims











SKi-doo Lynx Ser-200 Evinrude Rotax Can-am